

Part name	Use for	Nominal Capacitance	Capacitance Tolerance	Temp. Characteristics	Rated Voltage	Size	Thickness
CL05C010CB51PN	Automotive	1pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R5CB51PN	Automotive	1.5pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R5CC51PN	Automotive	1.5pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R8CC51PN	Automotive	1.8pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C020CB51PN	Automotive	2pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R2CC51PN	Automotive	2.2pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C030CB51PN	Automotive	3pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C040DB51PN	Automotive	4pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C060DB51PN	Automotive	6pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2BB51PN	Automotive	8.2pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2CB51PN	Automotive	8.2pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2DB51PN	Automotive	8.2pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C100JB51PN	Automotive	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C120JB51PN	Automotive	12pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C150JB51PN	Automotive	15pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C200GB51PN	Automotive	20pF	+/-2%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C200JB51PN	Automotive	20pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C220JB51PN	Automotive	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C330JB51PN	Automotive	33pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C390JB51PN	Automotive	39pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C560JB51PN	Automotive	56pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C680JB51PN	Automotive	68pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C820JB51PN	Automotive	82pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C820JC51PN	Automotive	82pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C101JB51PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C151JB51PN	Automotive	150pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C221JB51PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10C030CB81PN	Automotive	3pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C050CB81PN	Automotive	5pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C050CC81PN	Automotive	5.0pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C060DB81PN	Automotive	6pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C6R8DB81PN	Automotive	6.8pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C080DB81PN	Automotive	8pF	+/-0.50pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C100DB81PN	Automotive	10pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C100JB81PN	Automotive	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C120JB81PN	Automotive	12pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C150JB81PN	Automotive	15pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C180JB81PN	Automotive	18pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C200JB81PN	Automotive	20pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C220JB81PN	Automotive	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C270JB81PN	Automotive	27pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470FB81PN	Automotive	47pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470JB81PN	Automotive	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470JC81PN	Automotive	47pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C820JC81PN	Automotive	82pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C101FB81PN	Automotive	100pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C101JB81PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C101JC81PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C121JB81PN	Automotive	120pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C151JB81PN	Automotive	150pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C181JB81PN	Automotive	180pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C221JB81PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C221JC81PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C331JB81PN	Automotive	330pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C391JB81PN	Automotive	390pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C471JB81PN	Automotive	470pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C561JB81PN	Automotive	560pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C681JB81PN	Automotive	680pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C751JB81PN	Automotive	750pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C102JB81PN	Automotive	1nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21C220JB61PN	Automotive	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C470JC61PN	Automotive	47pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C101JB61PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C101JC61PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C221JC61PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C103JBF1PN	Automotive	10nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL05B331KB5VPN	Automotive	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm

CL05B102KB5VPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5VPN	Automotive	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5VPN	Automotive	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KB5VPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KO5VPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KB5VPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B104KO5VPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10B102KB85PN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B472KB8WPN	Automotive	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10B103KC85PN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KB85PN	Automotive	47nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KC8WPN	Automotive	47nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KB8WPN	Automotive	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB85PN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B154KO8VPN	Automotive	150nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KO8VPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KA8VPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KB8VPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KA8VPN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KP8VPN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KO8VPN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21B102KB65PN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B102KC6WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103KC6WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223KB65PN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21B223KC6WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B473KBC5PN	Automotive	47nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBC5PN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KCCWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KCFWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B334KBFVFN	Automotive	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KBFVFN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOF4PN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KLFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KBFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KOFVFN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KAFVFN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KPQVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KOQVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31B224KCPWPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.15+/-0.10mm
CL31B474KBH5PN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KBH5PN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KAHVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHVFN	Automotive	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B226KOJVPN	Automotive	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJVPN	Automotive	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL05Y105KP6VPN	Automotive	1uF	+/-10%	X7S(-55~+125Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.20mm
CL21Y106KPQVFN	Automotive	10uF	+/-10%	X7S(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL32Y106KBJVPJ	Automotive	10uF	+/-10%	X7S(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.30mm
CL02COR2BO2GNN	General	0.2pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02COR3BO2GNN	General	0.3pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02COR4BO2GNN	General	0.4pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02COR5BO2GNN	General	0.5pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02COR6BO2GNN	General	0.6pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02COR7BO2GNN	General	0.7pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02COR8BO2GNN	General	0.8pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02COR9BO2GNN	General	0.9pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C010BO2GNN	General	1pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm

CL21C152JBFNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C182JBFNNN	General	1.8nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C222GBFNNN	General	2.2nF	+/-2%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C222JBFNNN	General	2.2nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C332GBFNNN	General	3.3nF	+/-2%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C332JBFNNN	General	3.3nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C562JBFNNN	General	5.6nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C682JBFNNN	General	6.8nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C103JBFNNN	General	10nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31C3R9BBCNNN	General	3.9pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C100JGFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JHFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JIFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C200JBCNNN	General	20pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C220JCCNNN	General	22pF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C220JHFNNN	General	22pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C220JIFNNN	General	22pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C330JIFNNN	General	33pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C330JHNNN	General	33pF	+/-5%	COG(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C470JBCNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C470KBCNNN	General	47pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C470JGFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470GHFNNN	General	47pF	+/-2%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JHFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JIFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JGFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JHFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JIFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101FBCNNN	General	100pF	+/-1%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JBCNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101KBCNNN	General	100pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JCCNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JGFNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101KGFNNN	General	100pF	+/-10%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JHFNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JHNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C121JHFNNN	General	120pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C181JBCNNN	General	180pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C221JBCNNN	General	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C221JHNNN	General	220pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C271JBCNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C271JGFNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C271JHFNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C331JHNNN	General	330pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C391JHFNNN	General	390pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JBCNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C471KBCNNN	General	470pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C471JGFNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JHFNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C561JBCNNN	General	560pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C561JGFNNN	General	560pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C681JGHNNN	General	680pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C681JHNNN	General	680pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C821JHNNN	General	820pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C102JGHNNN	General	1nF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C102JHNNN	General	1nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C152JBCNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C152JCCNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C152JHNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C222JHNNN	General	2.2nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C272JBFNNN	General	2.7nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C332JHNNN	General	3.3nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C472JBFNNN	General	4.7nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C682JBHNNN	General	6.8nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C333JBHNNN	General	33nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL02A102KQ2NNN	General	1nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A102KP2NNN	General	1nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A222KQ2NNN	General	2.2nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A103KQ2NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A103KP2NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm

CL02A473KQ2NNN	General	47nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MR2NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	4Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104KQ2NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MQ2NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A224MQ2NNN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL03A472KA3NNN	General	4.7nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KP3NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KO3NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KA3NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A153KQ3NNN	General	15nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A223KQ3NNN	General	22nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A333KQ3NNN	General	33nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A473KQ3NNN	General	47nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A473KP3NNN	General	47nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A683KQ3NNN	General	68nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KQ3NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MQ3NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KP3NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KP3ZNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MP3NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KQ3NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MO3NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KA3NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MA3NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KL3NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224KQ3NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224MQ3NNN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224KP3NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224MP3NNN	General	220nF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474KR3NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474MR3NNN	General	470nF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474JQ3NNN	General	470nF	+/-5%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474KQ3NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474MQ3NNN	General	470nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A105MR3CSN	General	1uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105JQ3CSN	General	1uF	+/-5%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105KQ3CSN	General	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105MQ3CNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A105MQ3CSN	General	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105KP3NSN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105MP3NSN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105MO3NRN	General	1uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.09mm
CL03A225MQ3CR6	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.09mm
CL03A225MQ3CRN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.09mm
CL03A225MQ3CSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A225MQ3ZRN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.09mm
CL03A225MP3CRN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.09mm
CL85A475MQ5Q64	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0302inch_0805mm	0.5+/-0.05mm
CLL6A435MR4NLN	General	4.3uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0304inch_0610mm	0.40+/-0.05mm
CL05A823KP5NNN	General	82nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KQ5NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104MQ5NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KP5NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104MP5NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KO5NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KA5NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104MA5NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224MQLHEC	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.0975+/-0.0125mm
CL05A224KQ5NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224MQ5NNN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224KP5NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224MP5NNN	General	220nF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224KA5NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A334KQ5NNN	General	330nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A334KP5NNN	General	330nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A334KA5NNN	General	330nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KQ5NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KP5NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KO5NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A684KQ5NNN	General	680nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm

CL05A105KQ3LNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.30+/-0.03mm
CL05A105MQ3LNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.30+/-0.03mm
CL05A105JQ5NNN	General	1uF	+/-5%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KQ5NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105MQ5NNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KP5NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105MP5NNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KO5NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KA5NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KA5NQN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A105KL5NRN	General	1uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A225MR5NNN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225KQ5NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225KQ5NSN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MQ5NNN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225MQ5NSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MQ5ZSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225KP5NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225KP5NSN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MP5NNN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MP5NSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225KP7NSB	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.70+/-0.10mm
CL05A225KO5NQN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A225MO5NQN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A225KA5NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A225MA5NUN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A425KO5LUN	General	4.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MR5NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A475MQ3JUD	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.30+/-0.03mm
CL05A475MQ3LUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.30+/-0.03mm
CL05A475KQ5NRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475MQ5NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A475MQ5NRN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475KP5NRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475KP5ZRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MP5NRN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475MP7NRB	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.70+/-0.10mm
CL05A475MO5NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A106MR5NRN	General	10uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MR5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MQ5NRN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MQ5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MQ5ZUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP5NRN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MP5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP5ZUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A106MP6NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.60+/-0.20mm
CL05A106MP8NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.80+/-0.10mm
CL05A106MP9NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.90+/-0.10mm
CL05A136MQ5NRN	General	13uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A156MQ5Q6J	General	15uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.25mm
CL05A226MQ5N6J	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.25mm
CL05A226MQ5QUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A226MQ6ZUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.60+/-0.20mm
CL10A104KA8NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KA8NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KB8NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KO8NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KA8NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KB8NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KQ8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KP8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MP8NNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KO8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MO8NNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KA5LNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A105KA8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KB8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225MQ8NNN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm

CL10A225KP8NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225K05LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A225K08NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KA5LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A225KL8NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A335KP8NNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ5LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MQ5LNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475KQ8NNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MQ8NNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP5LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MP5LNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0/-0.1mm
CL10A475KP8NNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MP8NNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP9NHB	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A475KQ8NNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MO8NNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KA8NQN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A475MA8NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A475KL8NRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A106MR8NNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KQ8NNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQ8NNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQNHHB	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A106KP8NNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MP8NNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NQS	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.85+/-0.10mm
CL10A106MPNHHB	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A106K08NQN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MO8NQN	General	10uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MA8NRN	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MR8NQN	General	22uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A226MQ7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226MQ7NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.70+/-0.20mm
CL10A226KQ8NRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MQ8ZUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MP7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226MP8NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MP8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MP8ZUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A226MPMNUB	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MPCNUB	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.85+/-0.10mm
CL10A226MO7JZN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A476MR8NRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A476MR8NZN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A476MQ8QRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A476MQENRB	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	1.10+/-0.20mm
CL21A105KACLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A105KBCLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KQFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KPFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KACLNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KAFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KBFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A335KPFNNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KQCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KQFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475MQFNNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KPFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KOFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KACLRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KAQNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A475MAQNNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A475KLCLQN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KQ7LQN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.70+/-0.10mm
CL21A106KQFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQQN3N	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm

CL21A106MQFNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPCLOQ	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106MPCLQ	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KPFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MPFNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KOCRLN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KOFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KOQNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KACLRN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KAENRB	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.10+/-0.20mm
CL21A106KAYNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A226KQCLRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MQCLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226KQQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KPCLRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MPCLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MPQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KQQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MOCLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MOQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAYNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A336MQ9LRN	General	33uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.90+/-0.10mm
CL21A476MRYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A476MQ7LRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.7+/-0.10mm
CL21A476MQ7FRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.8+/-0.10mm
CL21A476MQ8LRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.80+/-0.10mm
CL21A476MQCLRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A476MQMNRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.15+/-0.10mm
CL21A476MQYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31A105KB9LNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A225KB9LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A225KBHNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A225KC9LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	100Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A335KOCCLNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A475KPHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A475KOCCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A475KOHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A475KACLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A475KAHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A475KL9LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A475KB9LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A106KQHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPPCLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.15+/-0.10mm
CL31A106KPHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MPHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KOCCLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A106KOHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MOHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KACLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A106KAHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MAHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KBHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KQHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MQHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KPHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MPHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KOCCLNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226KOHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KAHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MAHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476KQHNNN	General	47uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476MQHNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A475KAULNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A475KLULNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A106KOCCLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	0.85+/-0.10mm
CL32A106KOJNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A106KA9LNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	0.90+/-0.10mm

CL32A106KATLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.60+/-0.10mm
CL32A106KAULNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A226KPJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KOJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MAJNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A476MQJNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A476MPJNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNN	General	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A107MPVNNN	General	100uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A227MQVNNN	General	220uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL03X104KR3NNN	General	100nF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X104KQ3NNN	General	100nF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X224KQ3NNN	General	220nF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X224MQ3NNN	General	220nF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X105MR3CSN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03X105MR3NRN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.09mm
CLL5X474MR3NLN	General	470nF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0204inch_0510mm	0.30+/-0.05mm
CLL5X105MR3NLN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0204inch_0510mm	0.30+/-0.05mm
CL05X105KQ5NNN	General	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X105KA5NQN	General	1uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05X105ML5NRN	General	1uF	+/-20%	X6S(-55~+105Cels.)	35Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MR5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MQ5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10X475KQ8NNN	General	4.7uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106KR8NNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MR8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MQ8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MP8NRN	General	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X106MO8NRN	General	10uF	+/-20%	X6S(-55~+105Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X226MR8NUN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.25mm
CL21X475KAQNNN	General	4.7uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X106MRFNNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21X106KQNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X106KPCLRN	General	10uF	+/-10%	X6S(-55~+105Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21X106KPYNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X106KAYNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X106MAYNNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X226MRQNNN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X226MQQNNN	General	22uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X226MQQNNP	General	22uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X476MRYNNN	General	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31X106KAHNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31X226KQHNNN	General	22uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31X226KPHN3N	General	22uF	+/-10%	X6S(-55~+105Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31X226KOHN3N	General	22uF	+/-10%	X6S(-55~+105Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31X226KOHNNN	General	22uF	+/-10%	X6S(-55~+105Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31X476MRHNNN	General	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	1206inch_3216mm	1.60+/-0.20mm
CL02B101KP2NNN	General	100pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B221KP2NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B331KP2NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B331KO2NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B331MO2NNN	General	330pF	+/-20%	X7R(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B681KP2NNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B102KP2NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL03B151KO3NNN	General	150pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B221KO3NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B221KA3NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B331KO3NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B331KA3NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B471KO3NNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B561KO3NNN	General	560pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B681JA3NNN	General	680pF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B681KA3NNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B821KO3NNN	General	820pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102KO3NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102JA3NNN	General	1nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102KA3NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm

CL10B153JB8NNN	General	15nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B153KB8NNN	General	15nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B183JB8NNN	General	18nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B183KB8NNN	General	18nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B203KB8NNN	General	20nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223KA8NNN	General	22nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223JB8NNN	General	22nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223KB8NNN	General	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223MB8NNN	General	22nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B273KB8NNN	General	27nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333JA8NNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KA8NNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333JB8NNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KB8NNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B393KB8NNN	General	39nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KO8NNN	General	47nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473JB8NNN	General	47nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KB8NNN	General	47nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B563KB8NNN	General	56nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683JO8NNN	General	68nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KO8NNN	General	68nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683MO8NNN	General	68nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KB8NNN	General	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B823KO8NNN	General	82nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B823KB8NNN	General	82nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104JO8NNN	General	100nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KO8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104MO8NNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KA8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104MA8NNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104JB8NNN	General	100nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104MB8NNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KC8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B124KO8NNN	General	120nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B154KO8NNN	General	150nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KP8NNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224JO8NNN	General	220nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KO8NNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KA8NNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B334KP8NNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B334KO8NNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B334KB8NNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KP8NNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KO8NNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KA8NNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KQ8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105MQ8NNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KP8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KO8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KA8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B225KQ8NNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B225KP8NNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B475KQ8NQ	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10B475MQ8NQ	General	4.7uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10B106MQ8NRN	General	10uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21B151KBANNN	General	150pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B221KBANNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B331KBANNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B471JBANNN	General	470pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B471KBANNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B681KBANNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B102JBANNN	General	1nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B102KBANNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B102KCANNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B102KECSNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	250Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B152JBANNN	General	1.5nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B152KBANNN	General	1.5nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B182KBANNN	General	1.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B202KBANNN	General	2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm

CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21B106KPQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL31B221KGFNNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B471KBCNNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B471KGFNNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B471KHFNNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B681KHFNNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B102KBCNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B102KGFNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B102KJHNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B102MJHNNN	General	1nF	+/-20%	X7R(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B152KGFNNN	General	1.5nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B222KBCNNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B222KGFNNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B472KGFNNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B682KGFNNN	General	6.8nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B103KBCNNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B103KDCNNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	200Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B103KHFNNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B333JBCNNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B333KFESNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	350Vdc	1206inch_3216mm	1.10+/-0.15mm
CL31B104KCFNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B104KDHNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	200Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B104KEHNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	250Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B224JBFNNN	General	220nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224KBFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224MBFNNN	General	220nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B334KACNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B334KBFNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B474KBHNNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B684KBHNNN	General	680nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KOFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B105JAHNNN	General	1uF	+/-5%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105MAHNNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KBHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B155KOFNNN	General	1.5uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B225KPFNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B225KOHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B335KOHNNN	General	3.3uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KOHNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KQHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHN3N	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KOHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KLHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226MPHNNN	General	22uF	+/-20%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B104KCFNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	1.25+/-0.20mm
CL32B334KBFNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	1.25+/-0.20mm
CL32B105KBHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	1.60+/-0.20mm
CL32B105KJNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B105KJCSNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KBJNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KJCSNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBUYNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B475KBJNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KPINNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.00+/-0.20mm
CL32B106KOJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KAULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KAJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KLULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KLJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm

CL32B226KOJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJNNN	General	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476MQJNNN	General	47uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476MPJNNN	General	47uF	+/-20%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CLL5Y104MQ3NLN	General	100nF	+/-20%	X7S(-55~+125Cels.)	6.3Vdc	0204inch_0510mm	0.30+/-0.05mm
CL01Y104MR5NLN	General	100nF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0306inch_0816mm	0.50+0.05/-0.1mm
CL01Y105MR5NLN	General	1uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0306inch_0816mm	0.50+0.05/-0.1mm
CL10Y104MR5NJN	General	100nF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL10Y474MR5NJN	General	470nF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL10Y105MR5NJN	General	1uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL10Y225MR5NJN	General	2.2uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL21Y225MR5NJN	General	2.2uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0805inch_2012mm	0.50+0.05/-0.1mm
CLL5Z105MS3NLN	General	1uF	+/-20%	X7T(-55~+125Cels.)	2.5Vdc	0204inch_0510mm	0.30+/-0.05mm
CL21Z226MQQNNN	General	22uF	+/-20%	X7T(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL05F103ZB5NNN	General	10nF	-400	Y5V(-30~+85Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F223ZA5NNN	General	22nF	-400	Y5V(-30~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F333ZA5NNN	General	33nF	-400	Y5V(-30~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F104ZO5NNN	General	100nF	-400	Y5V(-30~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F224ZP5NNN	General	220nF	-400	Y5V(-30~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F224ZO5NNN	General	220nF	-400	Y5V(-30~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F334ZP5NNN	General	330nF	-400	Y5V(-30~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F474ZP5NNN	General	470nF	-400	Y5V(-30~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F105ZQ5NNN	General	1uF	-400	Y5V(-30~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10F223ZB8NNN	General	22nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F473ZB8NNN	General	47nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F104ZA8NNN	General	100nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F104ZB8NNN	General	100nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F154ZO8NNN	General	150nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F224ZO8NNN	General	220nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F224ZA8NNN	General	220nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F224ZB8NNN	General	220nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F334ZO8NNN	General	330nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F334ZA8NNN	General	330nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F474ZO8NNN	General	470nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F474ZA8NNN	General	470nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F474ZB8NNN	General	470nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F105ZP8NNN	General	1uF	-400	Y5V(-30~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F105ZO8NNN	General	1uF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F225ZQ8NNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F225ZP8NNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F225ZO8NYY	General	2.2uF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21F104ZBANNN	General	100nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21F104ZBCNNN	General	100nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21F224ZBFNNN	General	220nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F334ZBFNNN	General	330nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F474ZBFNNN	General	470nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F105ZOCNNN	General	1uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21F105ZOFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F105ZAFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F105ZBFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F225ZOFNNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F225ZAFNNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F335ZPFNNN	General	3.3uF	-400	Y5V(-30~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F475ZPFNNN	General	4.7uF	-400	Y5V(-30~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F475ZOFNNN	General	4.7uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F106ZQFNNN	General	10uF	-400	Y5V(-30~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F106ZPFNNN	General	10uF	-400	Y5V(-30~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31F474ZBCNNN	General	470nF	-400	Y5V(-30~+85Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31F105ZACNNN	General	1uF	-400	Y5V(-30~+85Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31F105ZBFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31F225ZAFNNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	25Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31F475ZOFNNN	General	4.7uF	-400	Y5V(-30~+85Cels.)	16Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31F106ZOHNNN	General	10uF	-400	Y5V(-30~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31F226ZPHNNN	General	22uF	-400	Y5V(-30~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32F106ZOELNN	General	10uF	-400	Y5V(-30~+85Cels.)	16Vdc	1210inch_3225mm	1.10+/-0.10mm
CL32F106ZOHNNN	General	10uF	-400	Y5V(-30~+85Cels.)	16Vdc	1210inch_3225mm	1.60+/-0.20mm
CL32F106ZASLNN	General	10uF	-400	Y5V(-30~+85Cels.)	25Vdc	1210inch_3225mm	1.35+/-0.15mm
CL32F106ZLGNNN	General	10uF	-400	Y5V(-30~+85Cels.)	35Vdc	1210inch_3225mm	1.40+/-0.20mm
CL03CA47CA3GNW	High_Reliability	4.7pF	+/-0.25pF	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm

CL05A225MQ5NNW	High_Reliability	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MQ5NQW	High_Reliability	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A106MQ5NUW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL10A474KA8NFN	High_Reliability	470nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KQ8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KP8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KO8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KA8NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KB8NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KP8NFN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KO8NFN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A335KP8NFN	High_Reliability	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ8NNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP8NFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KO8NFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ8NNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KA8NQW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106KQ8NNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQ8NNW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KQ8NNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MP8NFN	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A226MQ8NRW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21A225KPFNNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KOFNNN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KAFNNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475MQFNNW	High_Reliability	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPFNNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KQFNNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KAFNNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KQFNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQFNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MQFNNW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPFNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPFNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KOFN3N	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQNFNN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KQNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KAYNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A226KQNFNN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQQNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KQNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A476MQYNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31A475KAHNFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPHNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPHNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KOCFLN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226KAHNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KAHNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476MQHNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A106KAULNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A226KOJNFW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KOJNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A476MPJNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNW	High_Reliability	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A107MPVNNW	High_Reliability	100uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.30mm
CL05X105KQ5NFN	High_Reliability	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm

CL31B104KBCNNN	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B104KBCNNW	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B104KCFNNW	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B104KDHNFN	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	200Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B224KBFNFN	High_Reliability	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224KBFNNW	High_Reliability	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224MBFNNW	High_Reliability	220nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B105JAHNNW	High_Reliability	1uF	+/-5%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105MAHNNW	High_Reliability	1uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNFN	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KCHS3W	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KAHNFN	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHNFN	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNFN	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B105KJNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KJJSFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KJJSNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBJNFN	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBJNNW	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KCVZNNW	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32B106KAJNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KAJNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNFN	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MAJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476KJNNW	High_Reliability	47uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm