

Part name	Use for	Nominal Capacitance	Capacitance Tolerance	Temp. Characteristics	Rated Voltage	Size	Thickness
CL05C010CB51PN	Automotive	1pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R5CB51PN	Automotive	1.5pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R5CC51PN	Automotive	1.5pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R8CC51PN	Automotive	1.8pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C020CB51PN	Automotive	2pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R2CC51PN	Automotive	2.2pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C030CB51PN	Automotive	3pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C040DB51PN	Automotive	4pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C060DB51PN	Automotive	6pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2BB51PN	Automotive	8.2pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2CB51PN	Automotive	8.2pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2DB51PN	Automotive	8.2pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C100JB51PN	Automotive	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C120JB51PN	Automotive	12pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C150JB51PN	Automotive	15pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C200GB51PN	Automotive	20pF	+/-2%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C200JB51PN	Automotive	20pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C220JB51PN	Automotive	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C330JB51PN	Automotive	33pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C390JB51PN	Automotive	39pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C560JB51PN	Automotive	56pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C680JB51PN	Automotive	68pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C820JB51PN	Automotive	82pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C820JC51PN	Automotive	82pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C101JB51PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C151JB51PN	Automotive	150pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C221JB51PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10C030CB81PN	Automotive	3pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C050CB81PN	Automotive	5pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C050CC81PN	Automotive	5.0pF	+/-0.25pF	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C060DB81PN	Automotive	6pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C6R8DB81PN	Automotive	6.8pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C080DB81PN	Automotive	8pF	+/-0.50pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C100DB81PN	Automotive	10pF	+/-0.5pF	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C100JB81PN	Automotive	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C120JB81PN	Automotive	12pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C150JB81PN	Automotive	15pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C180JB81PN	Automotive	18pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C200JB81PN	Automotive	20pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C220JB81PN	Automotive	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C270JB81PN	Automotive	27pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470FB81PN	Automotive	47pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470JB81PN	Automotive	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470JC81PN	Automotive	47pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C820JC81PN	Automotive	82pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C101FB81PN	Automotive	100pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C101JB81PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C101JC81PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C121JB81PN	Automotive	120pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C151JB81PN	Automotive	150pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C181JB81PN	Automotive	180pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C221JB81PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C221JC81PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C331JB81PN	Automotive	330pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C391JB81PN	Automotive	390pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C471JB81PN	Automotive	470pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C561JB81PN	Automotive	560pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C681JB81PN	Automotive	680pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C751JB81PN	Automotive	750pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C102JB81PN	Automotive	1nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21C220JB61PN	Automotive	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C470JC61PN	Automotive	47pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C101JB61PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C101JC61PN	Automotive	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C221JC61PN	Automotive	220pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C103JBF1PN	Automotive	10nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL05B331KB5VPN	Automotive	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm

CL05B102KB5VFN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5VFN	Automotive	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5VFN	Automotive	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KB5VFN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KO5VFN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KB5VFN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B104KO5VFN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10B102KB85PN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B472KB8WPN	Automotive	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10B103KC85PN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KC8WPN	Automotive	47nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KB8WPN	Automotive	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB85PN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B154KO8VFN	Automotive	150nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KO8VFN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KA8VFN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KB8VFN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KA8VFN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KP8VFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KO8VFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21B102KC6WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103KC6WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223KC6WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B104KCCWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KCFWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B334KBFVFN	Automotive	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KBFVFN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOF4PN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KLFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KBFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KOFVFN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KAFVFN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KPOVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KOQVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31B474KBH5PN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KBH5PN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KAHVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B226KOJVPN	Automotive	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJVPN	Automotive	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL05Y105KP6VFN	Automotive	1uF	+/-10%	X7S(-55~+125Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.20mm
CL32Y106KBJVPJ	Automotive	10uF	+/-10%	X7S(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.30mm
CL02C0R2BO2GNN	General	0.2pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R3BO2GNN	General	0.3pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R4BO2GNN	General	0.4pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R5BO2GNN	General	0.5pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R6BO2GNN	General	0.6pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R7BO2GNN	General	0.7pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R8BO2GNN	General	0.8pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R9BO2GNN	General	0.9pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C010BO2GNN	General	1pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R1BO2GNN	General	1.1pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R2BO2GNN	General	1.2pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R3BO2GNN	General	1.3pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R4BO2GNN	General	1.4pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R5BO2GNN	General	1.5pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R6BO2GNN	General	1.6pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R7BO2GNN	General	1.7pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R8BO2GNN	General	1.8pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C1R9BO2GNN	General	1.9pF	+/-0.1pF	COG(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm





















CL31C3R9BBCNNN	General	3.9pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C100JGFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JHFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JIFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C200JBCNNN	General	20pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C220JCCNNN	General	22pF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C220JHFNNN	General	22pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C220JIFNNN	General	22pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C330JIFNNN	General	33pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C330JHNNN	General	33pF	+/-5%	COG(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C470JBCNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C470KBCNNN	General	47pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C470JGFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470GHFNNN	General	47pF	+/-2%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JHFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JIFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JGFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JHFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JIFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101FBCNNN	General	100pF	+/-1%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JBCNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101KBCNNN	General	100pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JCCNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JGFNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101KGFNNN	General	100pF	+/-10%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JHFNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JHNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C121JHFNNN	General	120pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C181JBCNNN	General	180pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C221JBCNNN	General	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C221JHNNN	General	220pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C271JBCNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C271JGFNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C271JHFNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C331JHNNN	General	330pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C391JHFNNN	General	390pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JBCNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C471KBCNNN	General	470pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C471JGFNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JHFNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C561JBCNNN	General	560pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C561JGFNNN	General	560pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C681JGHNNN	General	680pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C681JHNNN	General	680pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C821JHNNN	General	820pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C102JGHNNN	General	1nF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C102JHNNN	General	1nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C152JBCNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C152JCCNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C152JHNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C222JHNNN	General	2.2nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C272JBFNNN	General	2.7nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C332JHNNN	General	3.3nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C472JBFNNN	General	4.7nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C682JBHNNN	General	6.8nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C333JBHNNN	General	33nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL02A102KQ2NNN	General	1nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A102KP2NNN	General	1nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A222KQ2NNN	General	2.2nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A103KQ2NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A473KQ2NNN	General	47nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MR2NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	4Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104KQ2NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MQ2NNN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A224MQ2NNN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL03A472KA3NNN	General	4.7nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KP3NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KO3NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KA3NNN	General	10nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A153KQ3NNN	General	15nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm



CL05A225MP5NNN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MP5NSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225KO5NQN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A225MO5NQN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A225KA5NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A225MA5NUN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A425KO5LUN	General	4.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MQ3JUD	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.30+/-0.03mm
CL05A475KQ5NRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475MQ5NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A475MQ5NRN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475KP5NRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475MP5NRN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475MO5NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A106MR5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MQ5NRN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MQ5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP5NRN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MP5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP6NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.60+/-0.20mm
CL05A106MP9NUB	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.90+/-0.10mm
CL05A156MQ5Q6J	General	15uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.25mm
CL05A226MQ5QUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL10A104KA8NNN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KA8NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KB8NNN	General	220nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KO8NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KA8NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KB8NNN	General	470nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KP8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MP8NNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KO8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MO8NNN	General	1uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KA5LNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A105KA8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KB8NNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225MQ8NNN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KP8NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KO8NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KA5LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A225KL8NNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A335KP8NNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ5LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MQ5LNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475KQ8NNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MQ8NNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP5LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MP5LNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0/-0.1mm
CL10A475KP8NNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MP8NNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KO8NNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MO8NNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KA8NQN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A475MA8NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106KQ8NNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQ8NNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MP8NNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MPNNHB	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A106KO8NQN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MO8NQN	General	10uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MA8NRN	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226KQ8NRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MP7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226MP8NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MP8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.25mm

CL10A226M07JZN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A476MR8NRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A476MR8NZN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A476MQ8QRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21A105KACLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A105KBCLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KACLNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KAFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KBFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A335KPFNNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KPFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KOFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KACLRn	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KAQNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A475MAQNNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A475KLCQLQn	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KQ7LQn	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.70+/-0.10mm
CL21A106KQFNnn	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MQFNnn	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPCQLQn	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106MPCLQn	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KPFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MPFNnn	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KOCCLRn	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KOFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KACLRn	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KAENRB	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.10+/-0.20mm
CL21A106KAYNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A226KQCLRn	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MQCLRn	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226KQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KPCCLRn	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MPCLRn	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226KQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MOCLRn	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MOQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAYNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A476MRYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A476MQ7LRn	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.7+/-0.10mm
CL21A476MQCLRn	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A476MQYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31A225KC9LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	100Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A475KAHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MPHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MAHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KPHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MPHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KOCLRn	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLRn	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226KAHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MAHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476KQHNNN	General	47uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476MQHNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A106KAULNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A226KOJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MAJNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNN	General	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A107MPVNNN	General	100uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.30mm
CL03X104KR3NNN	General	100nF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X224KQ3NNN	General	220nF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X224MQ3NNN	General	220nF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X105MR3CSN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.05mm

CL03X105MR3NRR	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.09mm
CLL5X105MR3NLR	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0204inch_0510mm	0.30+/-0.05mm
CL05X105KQ5NNN	General	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X105ML5NRR	General	1uF	+/-20%	X6S(-55~+105Cels.)	35Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MR5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MQ5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10X106KR8NNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MR8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MQ8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MP8NRR	General	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X106MO8NRR	General	10uF	+/-20%	X6S(-55~+105Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X226MR8NUN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.25mm
CL21X106KQ9NNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X106KAYNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X106MAYNNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X226MR9NNN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X476MRYNNN	General	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31X226KOHNNN	General	22uF	+/-10%	X6S(-55~+105Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31X476MRHNNN	General	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	1206inch_3216mm	1.60+/-0.20mm
CL02B101KP2NNN	General	100pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B221KP2NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B331KO2NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B331MO2NNN	General	330pF	+/-20%	X7R(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B681KP2NNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B102KP2NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL03B221KO3NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B221KA3NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B331KO3NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B331KA3NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B561KO3NNN	General	560pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B681JA3NNN	General	680pF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B681KA3NNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102KO3NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102JA3NNN	General	1nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102KA3NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B152KP3NNN	General	1.5nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B222KP3NNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B332KP3NNN	General	3.3nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B472KQ3NNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B472KP3NNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B682KP3NNN	General	6.8nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103JQ3NNN	General	10nF	+/-5%	X7R(-55~+125Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103KQ3NNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103MQ3NNN	General	10nF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103JP3NNN	General	10nF	+/-5%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103KP3NNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05B221JB5NNN	General	220pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B221KB5NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B331JB5NNN	General	330pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B331KB5NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B471JB5NNN	General	470pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B471KB5NNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B561JB5NNN	General	560pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B561KB5NNN	General	560pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B681JB5NNN	General	680pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B681KB5NNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B821KB5NNN	General	820pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102JB5NNN	General	1nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B152JB5NNN	General	1.5nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B152KB5NNN	General	1.5nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B182KB5NNN	General	1.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5NNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332JB5NNN	General	3.3nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5NNN	General	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B392JB5NNN	General	3.9nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B392KB5NNN	General	3.9nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472JA5NNN	General	4.7nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KA5NNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm



CL10B472KB8NNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B562JB8NNN	General	5.6nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B562KB8NNN	General	5.6nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B562MB8NNN	General	5.6nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B822KB8NNN	General	8.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103JB8NNN	General	10nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KB8NNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103MB8NNN	General	10nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B153JB8NNN	General	15nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B153KB8NNN	General	15nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B183JB8NNN	General	18nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B183KB8NNN	General	18nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B203KB8NNN	General	20nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223JB8NNN	General	22nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223KB8NNN	General	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223MB8NNN	General	22nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B273KB8NNN	General	27nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333JA8NNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KA8NNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333JB8NNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KB8NNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B393KB8NNN	General	39nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KO8NNN	General	47nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473JB8NNN	General	47nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KB8NNN	General	47nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B563KB8NNN	General	56nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683JO8NNN	General	68nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KO8NNN	General	68nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683MO8NNN	General	68nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KB8NNN	General	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B823KO8NNN	General	82nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B823KB8NNN	General	82nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104JO8NNN	General	100nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KO8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104MO8NNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KA8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104MA8NNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104JB8NNN	General	100nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104MB8NNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KC8NNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B124KO8NNN	General	120nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B154KO8NNN	General	150nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224JO8NNN	General	220nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KO8NNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KA8NNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B334KP8NNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KP8NNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KO8NNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KA8NNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KQ8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105MQ8NNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KP8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KO8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KA8NNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B225KP8NNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B475KQ8NQ	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10B475MQ8NQ	General	4.7uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10B106MQ8NRN	General	10uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21B151KBANNN	General	150pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B471JBANNN	General	470pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B471KBANNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B102KCSNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	250Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B152JBANNN	General	1.5nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B152KBANNN	General	1.5nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B202KBANNN	General	2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B222KCANN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B272KBANNN	General	2.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B332JBANNN	General	3.3nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B332KBANNN	General	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm

CL21B392KBANNN	General	3.9nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B472JBANNN	General	4.7nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B472KBANNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B682JBANNN	General	6.8nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B682KBANNN	General	6.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B822KBANNN	General	8.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103JBANNN	General	10nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103KBANNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103MBANNN	General	10nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B153JBANNN	General	15nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B153KBANNN	General	15nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B183KBANNN	General	18nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223JBANNN	General	22nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223KBANNN	General	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B273KBANNN	General	27nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B333JBANNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B333KBANNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B393KBANNN	General	39nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B563KBCNNN	General	56nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B683JBCNNN	General	68nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B683KBCNNN	General	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KOANNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B104KACNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104MACNNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104JBCNNN	General	100nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBCNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104MBCNNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBFNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B104MBFNNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B154KBFNNN	General	150nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224JAFNNN	General	220nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224KAFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224MAFNNN	General	220nF	+/-20%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224KBFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B334KOCNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B474JAFNNN	General	470nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KAFNNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KBFNNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B684JOFNNN	General	680nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B684KOFNNN	General	680nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KAFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KBFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105MBFNNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KPFNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KAFNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KPFNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KAFNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL31B102KGFNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B102KJHNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B102MJHNNN	General	1nF	+/-20%	X7R(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B222KGFNNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B104KDHNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	200Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B224JBFNNN	General	220nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224KBFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224MBFNNN	General	220nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B105JAHNNN	General	1uF	+/-5%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105MAHNNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226MPHNNN	General	22uF	+/-20%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm

CL32B105KJNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KJNSNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBJNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KOJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KAULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KAJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KLULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KLJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJNNN	General	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476MPJNNN	General	47uF	+/-20%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL01Y105MR5NLN	General	1uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0306inch_0816mm	0.50+0.05/-0.1mm
CL10Y225MR5NJN	General	2.2uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL21Z226MQQNNN	General	22uF	+/-20%	X7T(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21F106ZQFNNN	General	10uF	-400	Y5V(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL03C4R7CA3GNW	High_Reliability	4.7pF	+/-0.25pF	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C100DA3GNW	High_Reliability	10pF	+/-0.5pF	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C120JA3NNW	High_Reliability	12pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C150JA3NNW	High_Reliability	15pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C270JA3NNW	High_Reliability	27pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C330JA3NNW	High_Reliability	33pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C470JA3NNW	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C560JA3NNW	High_Reliability	56pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C680JA3NNW	High_Reliability	68pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C820JA3NNW	High_Reliability	82pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C101JA3NNW	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05C0R5CB5NNW	High_Reliability	0.5pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C010CB5NNW	High_Reliability	1pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R8BB5NNW	High_Reliability	1.8pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R2CB5NNW	High_Reliability	2.2pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R4BB5NNW	High_Reliability	2.4pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R7BB5NNW	High_Reliability	2.7pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R7CB5NNW	High_Reliability	2.7pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C3R3BB5NNW	High_Reliability	3.3pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C3R3CB5NNW	High_Reliability	3.3pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C3R6BB5NNW	High_Reliability	3.6pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C4R7CB5NNW	High_Reliability	4.7pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C5R6BB5NNW	High_Reliability	5.6pF	+/-0.10pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C5R6CB5NNW	High_Reliability	5.6pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C6R8BB5NNW	High_Reliability	6.8pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C6R8CB5NNW	High_Reliability	6.8pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2BB5NNW	High_Reliability	8.2pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C100JB5NFN	High_Reliability	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C100JB5NNW	High_Reliability	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C120GB5NNW	High_Reliability	12pF	+/-2%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C120JB5NNW	High_Reliability	12pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C180FB5NNW	High_Reliability	18pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C180JB5NFN	High_Reliability	18pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C180JB5NNW	High_Reliability	18pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C220JB5NFN	High_Reliability	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C220JB5NNW	High_Reliability	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C240JB5NNW	High_Reliability	24pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C270JB5NNW	High_Reliability	27pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C330JB5NFN	High_Reliability	33pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C330JB5NNW	High_Reliability	33pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C390JB5NNW	High_Reliability	39pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C470FB5NFN	High_Reliability	47pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C470JB5NFN	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C470JB5NNW	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C510JB5NNW	High_Reliability	51pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C560JB5NNW	High_Reliability	56pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C680JB5NFN	High_Reliability	68pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C680JB5NNW	High_Reliability	68pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C820KA5NNW	High_Reliability	82pF	+/-10%	COG(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C820JB5NNW	High_Reliability	82pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C820KB5NNW	High_Reliability	82pF	+/-10%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C101JB5NFN	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C101JB5NNW	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm









CL31A226KAHNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476MQHNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A106KAULNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A226KOJNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KOJNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNW	High_Reliability	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A107MPVNNW	High_Reliability	100uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.30mm
CL05X105KQ5NFN	High_Reliability	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10X106MQ8NNW	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MP8NFR	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X106MP8NRW	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21X226MRQJNFN	High_Reliability	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X226MRQJNNW	High_Reliability	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL31X476MRHNNW	High_Reliability	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	1206inch_3216mm	1.60+/-0.20mm
CL03B331KA3NNW	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102KA3NNW	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103KP3NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05B331KB5NFN	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B331KB5NNW	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B471KB5NNW	High_Reliability	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B561KB5NNW	High_Reliability	560pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B681KB5NNW	High_Reliability	680pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B821KB5NNW	High_Reliability	820pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102JB5NFN	High_Reliability	1nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5NFN	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5NNW	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B152KB5NNW	High_Reliability	1.5nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B182KB5NNW	High_Reliability	1.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5NFN	High_Reliability	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5NNW	High_Reliability	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5NFN	High_Reliability	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5NNW	High_Reliability	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B392KB5NNW	High_Reliability	3.9nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KA5NFN	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KA5NNW	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KB5NFN	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KB5NNW	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B682KB5NNW	High_Reliability	6.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103JO5NNW	High_Reliability	10nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KO5NFN	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KO5NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103MO5NNW	High_Reliability	10nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KA5NFN	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KA5NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KB5NFN	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KB5NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B153KA5NNW	High_Reliability	15nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KO5NFN	High_Reliability	22nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KO5NNW	High_Reliability	22nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B333KO5NFN	High_Reliability	33nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B333KO5NNW	High_Reliability	33nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B473KO5NNW	High_Reliability	47nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B473MO5NNW	High_Reliability	47nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B104KP5NFN	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B104KP5NNW	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B104KO5NFN	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B104KO5NNW	High_Reliability	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B224KO5NFN	High_Reliability	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B224KO5NNW	High_Reliability	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B474KQ5NNW	High_Reliability	470nF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10B221KB8NFN	High_Reliability	220pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B221KB8NNW	High_Reliability	220pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B331KB8NFN	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B331KB8NNW	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B471KB8NFN	High_Reliability	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B471KB8NNW	High_Reliability	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm





CL31B105MAHNNW	High_Reliability	1uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNFN	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KCHS3W	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHNFN	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNFN	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B105KCJNFN	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KCJSFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KCJSNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBJNFN	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBJNNW	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KCVZNW	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32B106KAJNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KAJNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNFN	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MAJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476KPJNNW	High_Reliability	47uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm