

Part name	Use for	Nominal Capacitance	Capacitance Tolerance	Temp. Characteristics	Rated Voltage	Size	Thickness
CL05C060DB51PN	Automotive	6pF	+/-0.5pF	C0G(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C100JB51PN	Automotive	10pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C220JB51PN	Automotive	22pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C101JB51PN	Automotive	100pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C221JB51PN	Automotive	220pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10C050CC81PN	Automotive	5.0pF	+/-0.25pF	C0G(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C060DB81PN	Automotive	6pF	+/-0.5pF	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C100DB81PN	Automotive	10pF	+/-0.5pF	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C120JB81PN	Automotive	12pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C150JB81PN	Automotive	15pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C220JB81PN	Automotive	22pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470FB81PN	Automotive	47pF	+/-1%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470JB81PN	Automotive	47pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C470JC81PN	Automotive	47pF	+/-5%	C0G(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C101JB81PN	Automotive	100pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C121JB81PN	Automotive	120pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10C391JB81PN	Automotive	390pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21C220JB61PN	Automotive	22pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21C101JB61PN	Automotive	100pF	+/-5%	C0G(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL05B331KB5VFN	Automotive	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KB5VFN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10B102KB85FN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10B103KC85FN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KB85FN	Automotive	47nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B154KO8VFN	Automotive	150nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KA8VFN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KA8VFN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KO8VFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21B102KB65FN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21B102KC6WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103KC6WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223KB65FN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.60+/-0.10mm
CL21B223KC6WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B473KBC5FN	Automotive	47nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBC5FN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KCCWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KCFWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B224KBFVFN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B334KBFVFN	Automotive	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KBFVFN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOF4PN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KLFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KBFVFN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KOFVFN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KAFVFN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KOQVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31B224KCPWPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.15+/-0.10mm
CL31B475KAHVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHVFN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHVFN	Automotive	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B226KOJVPN	Automotive	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJVPN	Automotive	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL21Y106KPQVFN	Automotive	10uF	+/-10%	X7S(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL02C0R2BO2GNN	General	0.2pF	+/-0.1pF	C0G(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R3BO2GNN	General	0.3pF	+/-0.1pF	C0G(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R4BO2GNN	General	0.4pF	+/-0.1pF	C0G(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R5BO2GNN	General	0.5pF	+/-0.1pF	C0G(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R6BO2GNN	General	0.6pF	+/-0.1pF	C0G(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02C0R7BO2GNN	General	0.7pF	+/-0.1pF	C0G(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm

CL21C102KBCNNN	General	1nF	+/-10%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C102JDFNNN	General	1nF	+/-5%	COG(-55~+125Cels.)	200Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C152FBFNNN	General	1.5nF	+/-1%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C152GBFNNN	General	1.5nF	+/-2%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C152JBFNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C222GBFNNN	General	2.2nF	+/-2%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C222JBFNNN	General	2.2nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C332GBFNNN	General	3.3nF	+/-2%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C332JBFNNN	General	3.3nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C562JBFNNN	General	5.6nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C103JBFNNN	General	10nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31C3R9BBCNNN	General	3.9pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C100JGFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JHFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JIFNNN	General	10pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C220JHFNNN	General	22pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C330JIFNNN	General	33pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C330JHFNNN	General	33pF	+/-5%	COG(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C470JGFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470GHFNNN	General	47pF	+/-2%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JHFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JIFNNN	General	47pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JGFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JHFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JIFNNN	General	68pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101FBCNNN	General	100pF	+/-1%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JBCNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101KBCNNN	General	100pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JCCNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JGFNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101KGFNNN	General	100pF	+/-10%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JHFNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JHFNNN	General	100pF	+/-5%	COG(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C121JHFNNN	General	120pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C221JBCNNN	General	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C221JHFNNN	General	220pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C271JBCNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C271JGFNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C271JHFNNN	General	270pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C331JHFNNN	General	330pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C391JHFNNN	General	390pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JBCNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C471KBCNNN	General	470pF	+/-10%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C471JGFNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JHFNNN	General	470pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C561JBCNNN	General	560pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C561JGFNNN	General	560pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C681JGHNNN	General	680pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C681JHHNNN	General	680pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C821JHHNNN	General	820pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C102JGHNNN	General	1nF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C102JHHNNN	General	1nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C152JBCNNN	General	1.5nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C222JHHNNN	General	2.2nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C272JBFNNN	General	2.7nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C472JBFNNN	General	4.7nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C682JBFNNN	General	6.8nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL02A102KQ2NINN	General	1nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A222KQ2NINN	General	2.2nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A103KQ2NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A103KP2NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MR2NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	4Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104KQ2NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MQ2NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A224MQ2NINN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL03A472KA3NINN	General	4.7nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KP3NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KO3NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KA3NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A153KQ3NINN	General	15nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A223KQ3NINN	General	22nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A333KQ3NINN	General	33nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A473KQ3NINN	General	47nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm

CL03A473KP3NINN	General	47nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A683KQ3NINN	General	68nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KQ3NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MQ3NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KP3NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KP3ZINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KO3NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MO3NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KA3NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MA3NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KL3NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224KQ3NINN	General	220nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224MQ3NINN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224KP3NINN	General	220nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224MP3NINN	General	220nF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474KR3NINN	General	470nF	+/-10%	X5R(-55~+85Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474MR3NINN	General	470nF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474JQ3NINN	General	470nF	+/-5%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474KQ3NINN	General	470nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A474MQ3NINN	General	470nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A105MR3CSN	General	1uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105JQ3CSN	General	1uF	+/-5%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105KQ3CSN	General	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105MQ3CINN	General	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A105MQ3CSN	General	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105KP3NSN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105MP3NSN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A105MO3NRRN	General	1uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.09mm
CL03A225MQ3CRN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.09mm
CL03A225MQ3CSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03A225MQ3ZRN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.09mm
CL03A225MP3CRN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.09mm
CL85A475MQ5Q64	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0302inch_0805mm	0.5+/-0.05mm
CLL6A435MR4NLLN	General	4.3uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0304inch_0610mm	0.40+/-0.05mm
CL05A823KP5NINN	General	82nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KQ5NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104MQ5NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KP5NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104MP5NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KO5NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104KA5NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A104MA5NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224MQLHEC	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.0975+/-0.0125mm
CL05A224KQ5NINN	General	220nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224MQ5NINN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224KP5NINN	General	220nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224MP5NINN	General	220nF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A334KQ5NINN	General	330nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A334KA5NINN	General	330nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KQ5NINN	General	470nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KP5NINN	General	470nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A684KQ5NINN	General	680nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105JQ5NINN	General	1uF	+/-5%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KQ5NINN	General	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105MQ5NINN	General	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KP5NINN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105MP5NINN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KO5NINN	General	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KA5NINN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KA5NQN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A105KL5NRRN	General	1uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A225MR5NINN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225KQ5NSN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MQ5NINN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225MQ5NSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225KQ5ZSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225KP5NINN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225KP5NSN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MP5NINN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225MP5NSN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.07mm
CL05A225KP7NSB	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.70+/-0.10mm
CL05A225KO5NQN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A225MO5NQN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm

CL05A225KA5NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A225MA5NUN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A425KO5LUN	General	4.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MR5NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A475MQ3LUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.30+/-0.03mm
CL05A475KQ5NRR	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475MQ5NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A475MQ5NRR	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475KP5NRR	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475KP5ZRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MP5NRR	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A475MP7NRB	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.70+/-0.10mm
CL05A475MO5NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A106MR5NRR	General	10uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MQ5NRR	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MQ5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MQ5ZUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP5NRR	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MP5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP5ZUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A106MP8NUB	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.80+/-0.10mm
CL05A136MQ5NRR	General	13uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A156MQ5Q6J	General	15uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.25mm
CL05A226MQ5N6J	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.25mm
CL05A226MQ5QUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A226MQ6ZUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.60+/-0.20mm
CL10A104KA8NUN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KA8NUN	General	220nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KB8NUN	General	220nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KO8NUN	General	470nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KA8NUN	General	470nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KB8NUN	General	470nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KQ8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KP8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MP8NUN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KO8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MO8NUN	General	1uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KA5LUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A105KA8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KB8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225MQ8NUN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KP8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KO5LUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A225KO8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KA5LUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A225KL8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A335KP8NUN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ5LUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MQ5LUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475KQ8NUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MQ8NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP5LUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MP5LUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475KP8NUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MP8NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP9NHB	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A475KO8NUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MO8NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KA8NQN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A475MA8NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A475KL8NRR	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A106MR8NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KQ8NUN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQ8NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQNNHB	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A106KP8NUN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MP8NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NQS	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.85+/-0.10mm
CL10A106MPNNHB	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A106KO8NQN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MO8NQN	General	10uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MA8NRR	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.20mm

CL10A226MR8NQN	General	22uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A226MQ7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226MQ7NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.70+/-0.20mm
CL10A226KQ8NRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MQ8ZUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MP7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226MP8NRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MP8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MP8ZUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A226MPMNUB	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MPCNUB	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.85+/-0.10mm
CL10A226MO7JZN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A476MR8NRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A476MR8NZN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A476MQ8QRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A476MQENRB	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	1.10+/-0.20mm
CL21A105KACLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A105KBCLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KQFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KPFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KOFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KACLNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KAFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KBFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A335KPFNNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KQCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KQFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475MQFNNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KPFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KOFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KA CLRN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KAQNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A475KLC LQN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KQ7LQN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.70+/-0.10mm
CL21A106KQFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQQN3N	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106MQFNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPCLQN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106MPCLQN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KPFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MPFN NN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KO CLRN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KOFN3N	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KOFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KOQNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KACL RN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KAENRB	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.10+/-0.20mm
CL21A106KAYNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A226KQ CLRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MQ CLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226KQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KP CLRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MP CLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MPQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KOQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MO CLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MOQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAYNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A336MQ9LRN	General	33uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.90+/-0.10mm
CL21A476MRYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A476MQ7LRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.7+/-0.10mm
CL21A476MQ7FRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.8+/-0.10mm
CL21A476MQ8LRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.80+/-0.10mm
CL21A476MQ CLRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A476MQMNRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.15+/-0.10mm
CL21A476MQYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31A105KB9LNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A225KB9LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	0.90+/-0.10mm

CL31A225KBHNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A225KC9LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	100Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A335KOCLNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A475KPHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A475KOCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A475KOHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A475KACLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A475KAHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A475KL9LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A475KB9LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A106KQHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPPLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.15+/-0.10mm
CL31A106KPHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KOCLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A106KOHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MOHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KACLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A106KAHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MAHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KBHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KQHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MQHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KPHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KOCLNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226KOHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KAHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476MQHNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A475KAULNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A475KLULNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A106KOCLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	0.85+/-0.10mm
CL32A106KOJNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A106KA9LNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	0.90+/-0.10mm
CL32A106KATLNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.60+/-0.10mm
CL32A106KAULNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A226KPJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KOJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A476MQJNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A476MPJNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNN	General	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A227MQVNNN	General	220uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL03X104KR3NNN	General	100nF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X104KQ3NNN	General	100nF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X105MR3CSN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03X105MR3NRN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.09mm
CLL5X474MR3NLN	General	470nF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0204inch_0510mm	0.30+/-0.05mm
CLL5X105MR3NLN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0204inch_0510mm	0.30+/-0.05mm
CL05X105KQ5NNN	General	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X105KA5NQN	General	1uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05X105ML5NRN	General	1uF	+/-20%	X6S(-55~+105Cels.)	35Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MR5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MQ5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10X475KQ8NNN	General	4.7uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106KR8NNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MR8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MQ8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MP8NRN	General	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X106MO8NRN	General	10uF	+/-20%	X6S(-55~+105Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X226MR8NUN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.25mm
CL21X475KAQNNN	General	4.7uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X106MRFNNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21X106KQNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X106KPLRN	General	10uF	+/-10%	X6S(-55~+105Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21X106KPYNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X106KAYNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X106MAYNNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X226MRQNNN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X226MQQNNN	General	22uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X226MQQNNP	General	22uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X476MRYNNN	General	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31X106KAHNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm

CL21B223KBANNN	General	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223KBCNNN	General	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B273KBANNN	General	27nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B333JBANNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B333KBANNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B393KBANNN	General	39nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B473KBCNNN	General	47nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B473KCFNNN	General	47nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B563KBCNNN	General	56nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B683KBCNNN	General	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B683KBFNNN	General	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B104KOANNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B104KACNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104MACNNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104JBCNNN	General	100nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBCNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBFNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B104MBFNNN	General	100nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B154KAFNNN	General	150nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B154KBFNNN	General	150nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224KOCNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B224KAFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224KBFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B334KOCNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B334KAFNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474MQ5N3N	General	470nF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	0.50+0.05/-0.1mm
CL21B474KOFNNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KAFNNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KBFNNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B684KOFNNN	General	680nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KPFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KAFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KBFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105MBFNNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KAFNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KPFN3N	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KPFNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KOFNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KAFNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21B106KPQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL31B221KGFNNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B471KBCNNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B471KGFNNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B471KHFN3N	General	470pF	+/-10%	X7R(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B681KIFNNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B102KBCNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B102KGFNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B102KJHNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B152KGFNNN	General	1.5nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B222KBCNNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B472KGFNNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B682KGFNNN	General	6.8nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B103KBCNNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B103KDCNNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	200Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B103KHFN3N	General	10nF	+/-10%	X7R(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B333JBCNNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B333KFESNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	350Vdc	1206inch_3216mm	1.10+/-0.15mm
CL31B104KBCNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B104KCFNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B104KDHNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	200Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B104KEHNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	250Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B224KBFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B334KACNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31B334KBFNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B474KBHNNN	General	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B684KBHNNN	General	680nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KOFNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B105JAHNNN	General	1uF	+/-5%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105MAHNNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm

CL31B105KBHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B155KOFNNN	General	1.5uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B225KPFNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B225KOHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B335KOHNNN	General	3.3uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KOHNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KQHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHN3N	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KOHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KLHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B104KCFNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	1.25+/-0.20mm
CL32B334KBFNNN	General	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	1.25+/-0.20mm
CL32B105KBHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	1.60+/-0.20mm
CL32B105KJNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B105KCJSNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KBJNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KCSJNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBUYNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B475KBJNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KPINNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.00+/-0.20mm
CL32B106KOJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KAULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KAJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KLULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KLJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJNNN	General	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476MQJNNN	General	47uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476MPJNNN	General	47uF	+/-20%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CLL5Y104MQ3NLN	General	100nF	+/-20%	X7S(-55~+125Cels.)	6.3Vdc	0204inch_0510mm	0.30+/-0.05mm
CL01Y104MR5NLN	General	100nF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0306inch_0816mm	0.50+0.05/-0.1mm
CL01Y105MR5NLN	General	1uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0306inch_0816mm	0.50+0.05/-0.1mm
CL10Y104MR5NJN	General	100nF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL10Y474MR5NJN	General	470nF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL10Y105MR5NJN	General	1uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL10Y225MR5NJN	General	2.2uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL21Y225MR5NJN	General	2.2uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0805inch_2012mm	0.50+0.05/-0.1mm
CLL5Z105MS3NLN	General	1uF	+/-20%	X7T(-55~+125Cels.)	2.5Vdc	0204inch_0510mm	0.30+/-0.05mm
CL05F103ZB5NNN	General	10nF	-400	Y5V(-30~+85Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F223ZA5NNN	General	22nF	-400	Y5V(-30~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F333ZA5NNN	General	33nF	-400	Y5V(-30~+85Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F104ZO5NNN	General	100nF	-400	Y5V(-30~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F224ZP5NNN	General	220nF	-400	Y5V(-30~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F224ZO5NNN	General	220nF	-400	Y5V(-30~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F334ZP5NNN	General	330nF	-400	Y5V(-30~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F474ZP5NNN	General	470nF	-400	Y5V(-30~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05F105ZQ5NNN	General	1uF	-400	Y5V(-30~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10F223ZB8NNN	General	22nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F473ZB8NNN	General	47nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F104ZA8NNN	General	100nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F104ZB8NNN	General	100nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F154ZO8NNN	General	150nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F224ZO8NNN	General	220nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F224ZA8NNN	General	220nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F224ZB8NNN	General	220nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F334ZO8NNN	General	330nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F334ZA8NNN	General	330nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F474ZO8NNN	General	470nF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F474ZA8NNN	General	470nF	-400	Y5V(-30~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F474ZB8NNN	General	470nF	-400	Y5V(-30~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F105ZP8NNN	General	1uF	-400	Y5V(-30~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F105ZO8NNN	General	1uF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F225ZQ8NNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10F225ZP8NNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm

CL10F225Z08NYY	General	2.2uF	-400	Y5V(-30~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21F104ZBANNN	General	100nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21F104ZBCNNN	General	100nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21F224ZBFNNN	General	220nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F334ZBFNNN	General	330nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F474ZBFNNN	General	470nF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F105ZOCNNN	General	1uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21F105ZOFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F105ZAFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F105ZBFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F225ZOFNNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F225ZAFNNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F335ZPFNNN	General	3.3uF	-400	Y5V(-30~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F475ZPFNNN	General	4.7uF	-400	Y5V(-30~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F475ZOFNNN	General	4.7uF	-400	Y5V(-30~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F106ZQFNNN	General	10uF	-400	Y5V(-30~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21F106ZPFNNN	General	10uF	-400	Y5V(-30~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31F474ZBCNNN	General	470nF	-400	Y5V(-30~+85Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31F105ZACNNN	General	1uF	-400	Y5V(-30~+85Cels.)	25Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31F105ZBFNNN	General	1uF	-400	Y5V(-30~+85Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31F225ZAFNNN	General	2.2uF	-400	Y5V(-30~+85Cels.)	25Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31F475ZOFNNN	General	4.7uF	-400	Y5V(-30~+85Cels.)	16Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31F106ZOHNNN	General	10uF	-400	Y5V(-30~+85Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31F226ZPHNNN	General	22uF	-400	Y5V(-30~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32F106ZOEELNN	General	10uF	-400	Y5V(-30~+85Cels.)	16Vdc	1210inch_3225mm	1.10+/-0.10mm
CL32F106ZOHNNN	General	10uF	-400	Y5V(-30~+85Cels.)	16Vdc	1210inch_3225mm	1.60+/-0.20mm
CL32F106ZASLNN	General	10uF	-400	Y5V(-30~+85Cels.)	25Vdc	1210inch_3225mm	1.35+/-0.15mm
CL32F106ZLGNNN	General	10uF	-400	Y5V(-30~+85Cels.)	35Vdc	1210inch_3225mm	1.40+/-0.20mm
CL03C4R7CA3GNW	High_Reliability	4.7pF	+/-0.25pF	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C100DA3GNW	High_Reliability	10pF	+/-0.5pF	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C120JA3NNW	High_Reliability	12pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C150JA3NNW	High_Reliability	15pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C270JA3NNW	High_Reliability	27pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C330JA3NNW	High_Reliability	33pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C470JA3NNW	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C560JA3NNW	High_Reliability	56pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C680JA3NNW	High_Reliability	68pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C820JA3NNW	High_Reliability	82pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03C101JA3NNW	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05C0R5CB5NNW	High_Reliability	0.5pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C010CB5NNW	High_Reliability	1pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C1R8BB5NNW	High_Reliability	1.8pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R2CB5NNW	High_Reliability	2.2pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R7BB5NNW	High_Reliability	2.7pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C2R7CB5NNW	High_Reliability	2.7pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C3R3BB5NNW	High_Reliability	3.3pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C3R3CB5NNW	High_Reliability	3.3pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C3R6BB5NNW	High_Reliability	3.6pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C4R7CB5NNW	High_Reliability	4.7pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C5R6BB5NNW	High_Reliability	5.6pF	+/-0.10pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C5R6CB5NNW	High_Reliability	5.6pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C6R8BB5NNW	High_Reliability	6.8pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C6R8CB5NNW	High_Reliability	6.8pF	+/-0.25pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C8R2BB5NNW	High_Reliability	8.2pF	+/-0.1pF	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C100JB5NFN	High_Reliability	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C100JB5NNW	High_Reliability	10pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C120GB5NNW	High_Reliability	12pF	+/-2%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C120JB5NNW	High_Reliability	12pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C180FB5NNW	High_Reliability	18pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C180JB5NFN	High_Reliability	18pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C180JB5NNW	High_Reliability	18pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C220JB5NFN	High_Reliability	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C220JB5NNW	High_Reliability	22pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C240JB5NNW	High_Reliability	24pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C270JB5NNW	High_Reliability	27pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C330JB5NFN	High_Reliability	33pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C330JB5NNW	High_Reliability	33pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C390JB5NNW	High_Reliability	39pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C470FB5NFN	High_Reliability	47pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C470JB5NFN	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C470JB5NNW	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C510JB5NNW	High_Reliability	51pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05C560JB5NNW	High_Reliability	56pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm

CL21C221FBANNW	High_Reliability	220pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C221JBANFN	High_Reliability	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C221JBANNW	High_Reliability	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C221KBANNW	High_Reliability	220pF	+/-10%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C221JDCNFN	High_Reliability	220pF	+/-5%	COG(-55~+125Cels.)	200Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C221JDCNNW	High_Reliability	220pF	+/-5%	COG(-55~+125Cels.)	200Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C271JBANFN	High_Reliability	270pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C331FBANNW	High_Reliability	330pF	+/-1%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C331JBANFN	High_Reliability	330pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C331JBANNW	High_Reliability	330pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C391JBANNW	High_Reliability	390pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C471JBANFN	High_Reliability	470pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C471JBANNW	High_Reliability	470pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C471JCCNFN	High_Reliability	470pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C471JCCNNW	High_Reliability	470pF	+/-5%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C471KCCNFN	High_Reliability	470pF	+/-10%	COG(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C561JBANFN	High_Reliability	560pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21C681JBCNFN	High_Reliability	680pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C681JBCNNW	High_Reliability	680pF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C102JBCNFN	High_Reliability	1nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C102JBCNNW	High_Reliability	1nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21C102JDFNFN	High_Reliability	1nF	+/-5%	COG(-55~+125Cels.)	200Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C152JBFNFN	High_Reliability	1.5nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C152JBFNNW	High_Reliability	1.5nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C222JBFNFN	High_Reliability	2.2nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C222JBFNNW	High_Reliability	2.2nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C332JBFNFN	High_Reliability	3.3nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21C103JBFNFN	High_Reliability	10nF	+/-5%	COG(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31C100JGFNNW	High_Reliability	10pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JHFNFN	High_Reliability	10pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C100JIFNFN	High_Reliability	10pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C330JIFNFN	High_Reliability	33pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JGFNFN	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JHFNFN	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C470JIFNFN	High_Reliability	47pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C680JIFNFN	High_Reliability	68pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JBCNFN	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JCCNFN	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JCCNNW	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	100Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C101JGFNFN	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C101JHFNFN	High_Reliability	100pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C221JBCNFN	High_Reliability	220pF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C221JHFNFN	High_Reliability	220pF	+/-5%	COG(-55~+125Cels.)	1000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C471JGFNFN	High_Reliability	470pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JGFNNW	High_Reliability	470pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C471JHFNFN	High_Reliability	470pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C561JGFNFN	High_Reliability	560pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C681JGHFNFN	High_Reliability	680pF	+/-5%	COG(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C681JHHNFN	High_Reliability	680pF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C102JHHNFN	High_Reliability	1nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C152GBCNNW	High_Reliability	1.5nF	+/-2%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	0.85+/-0.15mm
CL31C222JHHNFN	High_Reliability	2.2nF	+/-5%	COG(-55~+125Cels.)	630Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31C472JBFNFN	High_Reliability	4.7nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31C682JBHNNW	High_Reliability	6.8nF	+/-5%	COG(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL03A104KQ3NNW	High_Reliability	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224KQ3NNW	High_Reliability	220nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224MQ3NNW	High_Reliability	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05A104KP5NNW	High_Reliability	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224KP5NNW	High_Reliability	220nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KQ5NNW	High_Reliability	470nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KP5NFN	High_Reliability	470nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KQ5NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105MQ5NNW	High_Reliability	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KQ5NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225MQ5NNW	High_Reliability	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MQ5NQW	High_Reliability	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A106MQ5NUW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL10A474KA8NFN	High_Reliability	470nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KQ8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KP8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KO8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KA8NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KB8NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm

CL10A225KQ8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KP8NFN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KO8NFN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A335KP8NFN	High_Reliability	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ8NNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP8NFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KO8NFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ8NNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KA8NQW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106KQ8NNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQ8NNW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MP8NFN	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A226MQ8NRW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21A225KPFNNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KAFNNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475MQFNNW	High_Reliability	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPFNFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPFNNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQFNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQFNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MQFNNW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPFNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPFNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KAYNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A226KQQNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQQNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KQQNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A476MQYNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31A475KAHNFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A106KAULNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A476MPJNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNW	High_Reliability	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL05X105KQ5NFN	High_Reliability	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10X106MQ8NNW	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MP8NFR	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X106MP8NRW	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21X226MRQNFN	High_Reliability	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X226MRQNNW	High_Reliability	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL31X476MRHNNW	High_Reliability	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32X476KOVZNW	High_Reliability	47uF	+/-10%	X6S(-55~+105Cels.)	16Vdc	1210inch_3225mm	1.60+/-0.30mm
CL03B102KA3NNW	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103KP3NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05B331KB5NNW	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B471KB5NNW	High_Reliability	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B561KB5NNW	High_Reliability	560pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B821KB5NNW	High_Reliability	820pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102JB5NFN	High_Reliability	1nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5NFN	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5NNW	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B152KB5NNW	High_Reliability	1.5nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5NFN	High_Reliability	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5NNW	High_Reliability	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5NFN	High_Reliability	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5NNW	High_Reliability	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B392KB5NNW	High_Reliability	3.9nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KA5NFN	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KA5NNW	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KB5NFN	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KB5NNW	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B562KB5NNW	High_Reliability	5.6nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B682KB5NNW	High_Reliability	6.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B822KB5NNW	High_Reliability	8.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103JO5NNW	High_Reliability	10nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KO5NFN	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KO5NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm

CL31B106KAHNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B225KCSFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KCSNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KCVZNW	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32B226KOJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MAJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476KPJNNW	High_Reliability	47uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm

www.samsungsem.com

Samsung Eletro-Mechanics LCR component Library : Bead netlist

Part name	Use for	Impedance at 100MHz	Impedance Tolerance	DC Resistance	Rated Current	Size	Thickness
CIC03W800NC		80ohm	+/-25%	0.18ohm	500mA	0201inch_0603mm	0.3+/-0.03mm
CIC03W121NC		120ohm	+/-25%	0.23ohm	450mA	0201inch_0603mm	0.3+/-0.03mm
CIC03W601NH		600ohm	+/-25%	0.85ohm	250mA	0201inch_0603mm	0.3+/-0.03mm
CIC05Y121NC		120ohm	+/-25%	0.09ohm	1500mA	0402inch_1005mm	0.5+/-0.05mm
CIC10P600NC		60ohm	+/-25%	0.05ohm	2500mA	0603inch_1608mm	0.80+/-0.15mm
CIC10P101NC		100ohm	+/-25%	0.05ohm	2000mA	0603inch_1608mm	0.80+/-0.15mm
CIC10P121NC		120ohm	+/-25%	0.05ohm	2000mA	0603inch_1608mm	0.80+/-0.15mm
CIC10P181NC		180ohm	+/-25%	0.09ohm	1500mA	0603inch_1608mm	0.80+/-0.15mm
CIC10P601NC		600ohm	+/-25%	0.15ohm	1000mA	0603inch_1608mm	0.80+/-0.15mm
CIC21P121NE		120ohm	+/-25%	0.05ohm	2000mA	0805inch_2012mm	0.90+/-0.20mm
CIM03N300NC		30ohm	+/-25%	0.7ohm	150mA	0201inch_0603mm	0.3+/-0.03mm
CIM03J121NC		120ohm	+/-25%	0.5ohm	200mA	0201inch_0603mm	0.3+/-0.03mm
CIM03U241NC		240ohm	+/-25%	0.75ohm	200mA	0201inch_0603mm	0.3+/-0.03mm
CIM05U100NC		10ohm	+/-25%	0.05ohm	1200mA	0402inch_1005mm	0.5+/-0.05mm
CIM05N750NC		75ohm	+/-25%	0.35ohm	300mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J121NC		120ohm	+/-25%	0.25ohm	500mA	0402inch_1005mm	0.5+/-0.05mm
CIM05U121NC		120ohm	+/-25%	0.25ohm	600mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J221NC		220ohm	+/-25%	0.35ohm	400mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J241NC		240ohm	+/-25%	0.35ohm	400mA	0402inch_1005mm	0.5+/-0.05mm
CIM05U241NC		240ohm	+/-25%	0.35ohm	400mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J301NC		300ohm	+/-25%	0.45ohm	400mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J601NC		600ohm	+/-25%	0.6ohm	300mA	0402inch_1005mm	0.5+/-0.05mm
CIM05U601NC		600ohm	+/-25%	0.6ohm	300mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J102NC		1000ohm	+/-25%	0.8ohm	250mA	0402inch_1005mm	0.5+/-0.05mm
CIM05U102NC		1000ohm	+/-25%	0.8ohm	300mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J152NC		1500ohm	+/-25%	1ohm	250mA	0402inch_1005mm	0.5+/-0.05mm
CIM05J182NC		1800ohm	+/-25%	1.4ohm	200mA	0402inch_1005mm	0.5+/-0.05mm
CIM10J470NC		47ohm	+/-25%	0.12ohm	600mA	0603inch_1608mm	0.80+/-0.15mm
CIM10F600NC		60ohm	+/-25%	0.25ohm	550mA	0603inch_1608mm	0.80+/-0.15mm
CIM10J800NC		80ohm	+/-25%	0.15ohm	550mA	0603inch_1608mm	0.80+/-0.15mm
CIM10U800NC		80ohm	+/-25%	0.1ohm	600mA	0603inch_1608mm	0.80+/-0.15mm
CIM10N121NC		120ohm	+/-25%	0.45ohm	400mA	0603inch_1608mm	0.80+/-0.15mm
CIM10U121NC		120ohm	+/-25%	0.15ohm	500mA	0603inch_1608mm	0.80+/-0.15mm
CIM10J121NC		120ohm	+/-25%	0.2ohm	500mA	0603inch_1608mm	0.80+/-0.15mm
CIM10U221NC		220ohm	+/-25%	0.25ohm	400mA	0603inch_1608mm	0.80+/-0.15mm
CIM10J221NC		220ohm	+/-25%	0.30ohm	400mA	0603inch_1608mm	0.80+/-0.15mm
CIM10N241NC		240ohm	+/-25%	0.60ohm	300mA	0603inch_1608mm	0.80+/-0.15mm
CIM10U241NC		240ohm	+/-25%	0.25ohm	400mA	0603inch_1608mm	0.80+/-0.15mm
CIM10J241NC		240ohm	+/-25%	0.3ohm	400mA	0603inch_1608mm	0.80+/-0.15mm
CIM10J301NC		300ohm	+/-25%	0.35ohm	400mA	0603inch_1608mm	0.80+/-0.15mm
CIM10J471NC		470ohm	+/-25%	0.35ohm	300mA	0603inch_1608mm	0.80+/-0.15mm
CIM10U601NC		600ohm	+/-25%	0.38ohm	500mA	0603inch_1608mm	0.80+/-0.15mm
CIM10J102NC		1000ohm	+/-25%	0.60ohm	250mA	0603inch_1608mm	0.80+/-0.15mm
CIM10U102NC		1000ohm	+/-25%	0.5ohm	400mA	0603inch_1608mm	0.80+/-0.15mm
CIM10K202NC		2000ohm	+/-25%	1.0ohm	200mA	0603inch_1608mm	0.80+/-0.15mm
CIM10K252NC		2500ohm	+/-25%	1.2ohm	200mA	0603inch_1608mm	0.80+/-0.15mm
CIS03P330NH		33ohm	+/-25%	0.055ohm	1500mA	0201inch_0603mm	0.3+/-0.03mm
CIS10P221NC		220ohm	+/-25%	0.05ohm	2500mA	0603inch_1608mm	0.80+/-0.15mm
CIV05U102NC		1000ohm	+/-25%	1.1ohm	250mA	0402inch_1005mm	0.5+/-0.05mm

www.samsungsem.com

Samsung Eletro-Mechanics LCR component Library : HighFreqInductor netlist

Part name	Use for	Nominal Inductance	Inductance Tolerance	DC Resistance	Rated Current	Size	Thickness
CIH02T0N5BNC		0.5nH	+/-0.1nH	0.2ohm	350mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T0N6BNC		0.6nH	+/-0.1nH	0.3ohm	320mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T0N7BNC		0.7nH	+/-0.1nH	0.4ohm	320mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T0N8BNC		0.8nH	+/-0.1nH	0.4ohm	320mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T0N9BNC		0.9nH	+/-0.1nH	0.4ohm	320mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1NOBNC		1nH	+/-0.1nH	0.4ohm	250mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N1BNC		1.1nH	+/-0.1nH	0.5ohm	250mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N2BNC		1.2nH	+/-0.1nH	0.5ohm	250mA	01005inch_0402mm	0.20+/-0.02mm

CIH02T1N3BNC		1.3nH	+/-0.1nH	0.6ohm	250mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N4BNC		1.4nH	+/-0.1nH	0.6ohm	250mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N5BNC		1.5nH	+/-0.1nH	0.6ohm	220mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N6BNC		1.6nH	+/-0.1nH	0.6ohm	220mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N7BNC		1.7nH	+/-0.1nH	0.6ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N8BNC		1.8nH	+/-0.1nH	0.6ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T1N9BNC		1.9nH	+/-0.1nH	0.6ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N0BNC		2nH	+/-0.1nH	0.6ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N1BNC		2.1nH	+/-0.1nH	0.7ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N2BNC		2.2nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N3BNC		2.3nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N4BNC		2.4nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N5BNC		2.5nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N6BNC		2.6nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N7BNC		2.7nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N8BNC		2.8nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T2N9BNC		2.9nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N0BNC		3nH	+/-0.1nH	0.8ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N1BNC		3.1nH	+/-0.1nH	0.9ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N2BNC		3.2nH	+/-0.1nH	1.1ohm	200mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N3BNC		3.3nH	+/-0.1nH	1.1ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N4BNC		3.4nH	+/-0.1nH	1.1ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N5BNC		3.5nH	+/-0.1nH	1.1ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N6BNC		3.6nH	+/-0.1nH	1.1ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N7BNC		3.7nH	+/-0.1nH	1.1ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N8BNC		3.8nH	+/-0.1nH	1.1ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T3N9BNC		3.9nH	+/-0.1nH	1.2ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T4N0BNC		4nH	+/-0.1nH	1.2ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T4N3BNC		4.3nH	+/-0.1nH	1.2ohm	180mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T4N7BNC		4.7nH	+/-0.1nH	1.3ohm	160mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T5N1SNC		5.1nH	+/-0.3nH	1.4ohm	160mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T5N6SNC		5.6nH	+/-0.3nH	1.5ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T6N2SNC		6.2nH	+/-0.3nH	1.5ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T6N8HNC		6.8nH	+/-3%	1.6ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T7N5HNC		7.5nH	+/-3%	1.7ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T8N2HNC		8.2nH	+/-3%	1.8ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T9N1HNC		9.1nH	+/-3%	1.8ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T10NHNC		10nH	+/-3%	2.1ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T12NHNC		12nH	+/-3%	2.4ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T15NHNC		15nH	+/-3%	2.6ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH02T18NHNC		18nH	+/-3%	2.8ohm	140mA	01005inch_0402mm	0.20+/-0.02mm
CIH03Q0N6CNC		0.6nH	+/-0.2nH	0.06ohm	600mA	0201inch_0603mm	0.30+/-0.03mm
CIH03U0N8BAC		0.8nH	+/-0.1nH	0.06ohm	1000mA	0201inch_0603mm	0.3+/-0.03mm
CIH03T1N0SNC		1nH	+/-0.3nH	0.14ohm	300mA	0201inch_0603mm	0.30+/-0.03mm
CIH03Q1N0CNC		1nH	+/-0.2nH	0.09ohm	490mA	0201inch_0603mm	0.30+/-0.03mm
CIH03U1N0BAC		1nH	+/-0.1nH	0.07ohm	1000mA	0201inch_0603mm	0.3+/-0.03mm
CIH03T1N2SNC		1.2nH	+/-0.3nH	0.14ohm	250mA	0201inch_0603mm	0.30+/-0.03mm
CIH03Q1N2BSC		1.2nH	+/-0.1nH	0.12ohm	420mA	0201inch_0603mm	0.30+/-0.03mm
CIH03S1N2BSC		1.2nH	+/-0.1nH	0.09ohm	750mA	0201inch_0603mm	0.30+/-0.03mm
CIH03U1N2BAC		1.2nH	+/-0.1nH	0.1ohm	800mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M1N2BNC		1.2nH	+/-0.1nH	0.04ohm	1200mA	0201inch_0603mm	0.3+/-0.03mm
CIH03Q1N3BSC		1.3nH	+/-0.1nH	0.12ohm	420mA	0201inch_0603mm	0.30+/-0.03mm
CIH03Q1N5BSC		1.5nH	+/-0.1nH	0.11ohm	440mA	0201inch_0603mm	0.30+/-0.03mm
CIH03M1N5BNC		1.5nH	+/-0.1nH	0.05ohm	1000mA	0201inch_0603mm	0.3+/-0.03mm
CIH03Q1N6BSC		1.6nH	+/-0.1nH	0.13ohm	410mA	0201inch_0603mm	0.30+/-0.03mm
CIH03Q1N8BSC		1.8nH	+/-0.1nH	0.16ohm	370mA	0201inch_0603mm	0.30+/-0.03mm
CIH03M1N8BNC		1.8nH	+/-0.1nH	0.08ohm	800mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U1N8BAC		1.8nH	+/-0.1nH	0.15ohm	800mA	0201inch_0603mm	0.3+/-0.03mm
CIH03Q2N0BSC		2nH	+/-0.1nH	0.2ohm	330mA	0201inch_0603mm	0.30+/-0.03mm
CIH03M2N0BNC		2nH	+/-0.1nH	0.12ohm	600mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U2N4BAC		2.4nH	+/-0.1nH	0.18ohm	700mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M2N7BNC		2.7nH	+/-0.1nH	0.12ohm	600mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U2N7BAC		2.7nH	+/-0.1nH	0.25ohm	600mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U3N0BAC		3nH	+/-0.1nH	0.25ohm	500mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M3N3BNC		3.3nH	+/-0.1nH	0.17ohm	500mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U3N3BAC		3.3nH	+/-0.1nH	0.25ohm	500mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U3N6BAC		3.6nH	+/-0.1nH	0.25ohm	450mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M3N6BNC		3.6nH	+/-0.1nH	0.17ohm	500mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U3N9BAC		3.9nH	+/-0.1nH	0.25ohm	450mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M3N9BNC		3.9nH	+/-0.1nH	0.17ohm	500mA	0201inch_0603mm	0.3+/-0.03mm
CIH03U4N3BAC		4.3nH	+/-0.1nH	0.35ohm	400mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M4N3JNC		4.3nH	+/-5%	0.17ohm	500mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M4N7JNC		4.7nH	+/-5%	0.25ohm	400mA	0201inch_0603mm	0.3+/-0.03mm

CIH03U4N7BAC		4.7nH	+/-0.1nH	0.35ohm	400mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M5N1JNC		5.1nH	+/-5%	0.25ohm	400mA	0201inch_0603mm	0.3+/-0.03mm
CIH03S5N6JSC		5.6nH	+/-5%	0.40ohm	350mA	0201inch_0603mm	0.30+/-0.03mm
CIH03M5N6JNC		5.6nH	+/-5%	0.25ohm	400mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M6N2JNC		6.2nH	+/-5%	0.25ohm	400mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M6N8JNC		6.8nH	+/-5%	0.30ohm	400mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M7N5JNC		7.5nH	+/-5%	0.30ohm	400mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M8N2JNC		8.2nH	+/-5%	0.40ohm	300mA	0201inch_0603mm	0.3+/-0.03mm
CIH03Q9N1HSC		9.1nH	+/-3%	0.73ohm	170mA	0201inch_0603mm	0.30+/-0.03mm
CIH03M9N1JNC		9.1nH	+/-5%	0.40ohm	300mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M10N1JNC		10nH	+/-5%	0.40ohm	300mA	0201inch_0603mm	0.3+/-0.03mm
CIH03T12N1JNC		12nH	+/-5%	0.7ohm	150mA	0201inch_0603mm	0.30+/-0.03mm
CIH03M15N1JNC		15nH	+/-5%	0.70ohm	300mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M22N1JNC		22nH	+/-5%	1.20ohm	200mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M24N1JNC		24nH	+/-5%	1.50ohm	180mA	0201inch_0603mm	0.3+/-0.03mm
CIH03M27N1JNC		27nH	+/-5%	2.00ohm	150mA	0201inch_0603mm	0.3+/-0.03mm
CIH03T56N1JNC		56nH	+/-5%	3ohm	50mA	0201inch_0603mm	0.30+/-0.03mm
CIH05T1N0SNC		1nH	+/-0.3nH	0.12ohm	300mA	0402inch_1005mm	0.50+/-0.05mm
CIH05T1N2SNC		1.2nH	+/-0.3nH	0.12ohm	300mA	0402inch_1005mm	0.50+/-0.05mm
CIH05T7N5JNC		7.5nH	+/-5%	0.37ohm	300mA	0402inch_1005mm	0.50+/-0.05mm
CIH05Q8N2JNC		8.2nH	+/-5%	0.24ohm	500mA	0402inch_1005mm	0.5+/-0.05mm
CIH05T33N1JNC		33nH	+/-5%	1.0ohm	250mA	0402inch_1005mm	0.50+/-0.05mm
CIH05T47N1JNC		47nH	+/-5%	1.3ohm	200mA	0402inch_1005mm	0.50+/-0.05mm
CIH05T56N1JNC		56nH	+/-5%	1.4ohm	180mA	0402inch_1005mm	0.50+/-0.05mm
CIH05T68N1JNC		68nH	+/-5%	1.4ohm	180mA	0402inch_1005mm	0.50+/-0.05mm
CIH05T82N1JNC		82nH	+/-5%	1.6ohm	150mA	0402inch_1005mm	0.50+/-0.05mm
CIH10T10N1JNC		10nH	+/-5%	0.26ohm	600mA	0603inch_1608mm	0.8+/-0.15mm
CIH10T56N1JNC		56nH	+/-5%	0.75ohm	400mA	0603inch_1608mm	0.8+/-0.15mm
CIH10TR12JNC		120nH	+/-5%	1.20ohm	300mA	0603inch_1608mm	0.8+/-0.15mm

www.samsungsem.com

Samsung Eletro-Mechanics LCR component Library : PowerInductor_netlist

Part name	Use for	Nominal Inductance	Inductance Tolerance	DC Resistance	Rated Current	Size	Thickness
CIG10WR27MNC		0.27uH	+/-20%	0.12ohm	1.3A	0603inch_1608mm	0.95mm_Max
CIG10FR47MNC		0.47uH	+/-20%	0.02ohm	0.8A	0603inch_1608mm	0.50mm_Max
CIG10WR47MNC		0.47uH	+/-20%	0.15ohm	1.1A	0603inch_1608mm	0.95mm_Max
CIG10F1R0MNC		1.0uH	+/-20%	0.03ohm	0.7A	0603inch_1608mm	0.50mm_Max
CIG10W1R0MNC		1.0uH	+/-20%	0.2ohm	0.95A	0603inch_1608mm	0.95mm_Max
CIG10F1R5MNC		1.5uH	+/-20%	0.035ohm	0.6A	0603inch_1608mm	0.50mm_Max
CIG10W1R5MNC		1.5uH	+/-20%	0.25ohm	0.8A	0603inch_1608mm	0.95mm_Max
CIG10W2R2MNC		2.2uH	+/-20%	0.3ohm	0.75A	0603inch_1608mm	0.95mm_Max
CIG10W3R3MNC		3.3uH	+/-20%	0.4ohm	0.7A	0603inch_1608mm	0.95mm_Max
CIG10W4R7MNC		4.7uH	+/-20%	0.5ohm	0.62A	0603inch_1608mm	0.95mm_Max
CIG21LR47MNE		0.47uH	+/-20%	0.08ohm	1.3A	0805inch_2012mm	1.00mm_Max
CIG21F1R0MNC		1.0uH	+/-20%	0.19ohm	0.8A	0805inch_2012mm	0.50mm_Max
CIG21W1R0MNE		1.0uH	+/-20%	0.133ohm	1.05A	0805inch_2012mm	1.00mm_Max
CIG21L1R0MNE		1.0uH	+/-20%	0.11ohm	1.15A	0805inch_2012mm	1.00mm_Max
CIG21L1R2MNE		1.2uH	+/-20%	0.125ohm	1.1A	0805inch_2012mm	1.00mm_Max
CIG21F1R5MNC		1.5uH	+/-20%	0.25ohm	0.7A	0805inch_2012mm	0.50mm_Max
CIG21W1R5MNE		1.5uH	+/-20%	0.15ohm	0.96A	0805inch_2012mm	1.00mm_Max
CIG21L1R5MNE		1.5uH	+/-20%	0.14ohm	1.05A	0805inch_2012mm	1.00mm_Max
CIG21F2R2MNC		2.2uH	+/-20%	0.34ohm	0.6A	0805inch_2012mm	0.50mm_Max
CIG21W2R2MNE		2.2uH	+/-20%	0.2ohm	0.81A	0805inch_2012mm	1.00mm_Max
CIG21L2R2MNE		2.2uH	+/-20%	0.16ohm	0.95A	0805inch_2012mm	1.00mm_Max
CIG21W3R3MNE		3.3uH	+/-20%	0.25ohm	0.73A	0805inch_2012mm	1.00mm_Max
CIG21L3R3MNE		3.3uH	+/-20%	0.22ohm	0.8A	0805inch_2012mm	1.00mm_Max
CIG21W4R7MNE		4.7uH	+/-20%	0.3ohm	0.65A	0805inch_2012mm	1.00mm_Max
CIG21L4R7MNE		4.7uH	+/-20%	0.26ohm	0.75A	0805inch_2012mm	1.00mm_Max
CIG2MWR47NNE		0.47uH	+/-30%	0.06ohm	1.6A	0806inch_2016mm	1.00mm_Max
CIG2MW1R0NNE		1.0uH	+/-30%	0.085ohm	1.4A	0806inch_2016mm	1.00mm_Max
CIG2MW1R5NNE		1.5uH	+/-30%	0.11ohm	1.2A	0806inch_2016mm	1.00mm_Max
CIG2MW3R3NNE		3.3uH	+/-30%	0.12ohm	1.2A	0806inch_2016mm	1.00mm_Max
CIG2MW4R7NNE		4.7uH	+/-30%	0.14ohm	1.1A	0806inch_2016mm	1.00mm_Max
CIG22HR33MAE		0.33uH	+/-20%	0.044ohm	2.2A	1008inch_2520mm	1.00mm_Max
CIG22LR47MNE		0.47uH	+/-20%	0.04ohm	1.8A	1008inch_2520mm	1.00mm_Max
CIG22HR47MAE		0.47uH	+/-20%	0.044ohm	2.1A	1008inch_2520mm	1.00mm_Max
CIG22BR47MNE		0.5uH	+/-20%	0.066ohm	1.6A	1008inch_2520mm	1.00mm_Max
CIG22HR56MAE		0.56uH	+/-20%	0.055ohm	2A	1008inch_2520mm	1.00mm_Max
CIG22B1R0MNE		1.0uH	+/-20%	0.125ohm	1.2A	1008inch_2520mm	1.00mm_Max
CIG22L1R0MNE		1.0uH	+/-20%	0.06ohm	1.6A	1008inch_2520mm	1.00mm_Max
CIG22H1R0MAE		1.0uH	+/-20%	0.065ohm	1.8A	1008inch_2520mm	1.00mm_Max
CIG22E1R0MNE		1.0uH	+/-20%	0.048ohm	2.3A	1008inch_2520mm	1.00mm_Max
CIG22L1R2MNE		1.2uH	+/-20%	0.065ohm	1.5A	1008inch_2520mm	1.00mm_Max
CIG22H1R2MAE		1.2uH	+/-20%	0.065ohm	1.7A	1008inch_2520mm	1.00mm_Max

CIG22B1R5MNE		1.5uH	+/-20%	0.148ohm	1.15A	1008inch_2520mm	1.00mm_Max
CIG22L1R5MNE		1.5uH	+/-20%	0.07ohm	1.5A	1008inch_2520mm	1.00mm_Max
CIG22H1R5MAE		1.5uH	+/-20%	0.074ohm	1.5A	1008inch_2520mm	1.00mm_Max
CIG22E1R5MNE		1.5uH	+/-20%	0.13ohm	1.5A	1008inch_2520mm	1.00mm_Max
CIG22B2R2MNE		2.2uH	+/-20%	0.183ohm	1.1A	1008inch_2520mm	1.00mm_Max
CIG22H2R2MAE		2.2uH	+/-20%	0.138ohm	1.2A	1008inch_2520mm	1.00mm_Max
CIG22L2R2MNE		2.2uH	+/-20%	0.08ohm	1.3A	1008inch_2520mm	1.00mm_Max
CIG22E2R2MNE		2.2uH	+/-20%	0.15ohm	1.3A	1008inch_2520mm	1.00mm_Max
CIG22B3R3MNE		3.3uH	+/-20%	0.216ohm	1.05A	1008inch_2520mm	1.00mm_Max
CIG22E3R3MNE		3.3uH	+/-20%	0.2ohm	1.1A	1008inch_2520mm	1.00mm_Max
CIG22L3R3MNE		3.3uH	+/-20%	0.1ohm	1.2A	1008inch_2520mm	1.00mm_Max
CIG22H3R3MAE		3.3uH	+/-20%	0.074ohm	1.5A	1008inch_2520mm	1.00mm_Max
CIG22B4R7MNE		4.7uH	+/-20%	0.25ohm	1A	1008inch_2520mm	1.00mm_Max
CIG22E4R7MNE		4.7uH	+/-20%	0.265ohm	1A	1008inch_2520mm	1.00mm_Max
CIG22L4R7MNE		4.7uH	+/-20%	0.11ohm	1.1A	1008inch_2520mm	1.00mm_Max
CIG22L6R8MNE		6.8uH	+/-20%	0.203ohm	0.8A	1008inch_2520mm	1.00mm_Max
CIG22L100MNE		10uH	+/-20%	0.323ohm	0.6A	1008inch_2520mm	1.00mm_Max
CIG32W1R0MNE		1.0uH	+/-20%	0.06ohm	2A	1210inch_3225mm	1.00mm_Max
CIG32H2R2MNE		2.2uH	+/-20%	0.125ohm	1.67A	1210inch_3225mm	1.20mm_Max
CIGT160806UM1R0MNC		1.0uH	+/-20%	0.25ohm	1A	0603inch_1608mm	0.60mm_Max
CIGT201210UMR47MNE		0.47uH	+/-20%	0.034ohm	3A	0805inch_2012mm	1.00mm_Max
CIGT201208EMR47MNE		0.47uH	+/-20%	0.037ohm	3A	0805inch_2012mm	0.80mm_Max
CIGT201210UHR47MNE		0.47uH	+/-20%	0.025ohm	3.6A	0805inch_2012mm	1.00mm_Max
CIGT201208EHR47MNE		0.47uH	+/-20%	0.031ohm	3.7A	0805inch_2012mm	0.80mm_Max
CIGT201206UM1R0MNE		1.0uH	+/-20%	0.162ohm	1.1A	0805inch_2012mm	0.60mm_Max
CIGT201210EM1R0MNE		1.0uH	+/-20%	0.05ohm	2.3A	0805inch_2012mm	1.00mm_Max
CIGT201208EM1R0MNE		1.0uH	+/-20%	0.05ohm	2.5A	0805inch_2012mm	0.80mm_Max
CIGT201208EH1R0MNE		1uH	+/-20%	0.048ohm	3.1A	0805inch_2012mm	0.80mm_Max
CIGT201608LMR24MNE		0.24uH	+/-20%	0.021ohm	3.6A	0806inch_2016mm	0.80mm_Max
CIGT201610LMR24MNE		0.24uH	+/-20%	0.02ohm	4A	0806inch_2016mm	1.00mm_Max
CIGT201610LHR24MNE		0.24uH	+/-20%	0.015ohm	4.7A	0806inch_2016mm	1.00mm_Max
CIGT201608LMR47MNE		0.47uH	+/-20%	0.035ohm	2.9A	0806inch_2016mm	0.80mm_Max
CIGT201610LMR47MNE		0.47uH	+/-20%	0.032ohm	3A	0806inch_2016mm	1.00mm_Max
CIGT201610UMR47MNE		0.47uH	+/-20%	0.03ohm	3.2A	0806inch_2016mm	1.00mm_Max
CIGT201610LHR47MNE		0.47uH	+/-20%	0.028ohm	3.6A	0806inch_2016mm	1.00mm_Max
CIGT201610EHR47MNE		0.47uH	+/-20%	0.018_ohm	4.8A	0806inch_2016mm	1.00mm_Max
CIGT201610LMR68MNE		0.68uH	+/-20%	0.046ohm	2.7A	0806inch_2016mm	1.00mm_Max
CIGT201608LM1R0MNE		1.0uH	+/-20%	0.067ohm	2.3A	0806inch_2016mm	0.80mm_Max
CIGT201610LM1R0MNE		1.0uH	+/-20%	0.067ohm	2.4A	0806inch_2016mm	1.00mm_Max
CIGT201608EM1R0MNE		1.0uH	+/-20%	0.053ohm	2.7A	0806inch_2016mm	0.80mm_Max
CIGT201610UM1R0MNE		1.0uH	+/-20%	0.048ohm	2.8A	0806inch_2016mm	1.00mm_Max
CIGT201610LH1R0MNE		1.0uH	+/-20%	0.05ohm	2.8A	0806inch_2016mm	1.00mm_Max
CIGT201610EH1R0MNE		1.0uH	+/-20%	0.038ohm	4.1A	0806inch_2016mm	1.00mm_Max
CIGT201608EM1R5MNE		1.5uH	+/-20%	0.1ohm	1.9A	0806inch_2016mm	0.80mm_Max
CIGT201610LM2R2MNE		2.2uH	+/-20%	0.128ohm	1.6A	0806inch_2016mm	1.00mm_Max
CIGT201610UL2R2MNE		2.2uH	+/-20%	0.115ohm	1.7A	0806inch_2016mm	1.00mm_Max
CIGT201610LH2R2MNE		2.2uH	+/-20%	0.116ohm	1.8A	0806inch_2016mm	1.00mm_Max
CIGT201610UH2R2MNE		2.2uH	+/-20%	0.11ohm	2A	0806inch_2016mm	1.00mm_Max
CIGT201608EM2R2MNE		2.2uH	+/-20%	0.92ohm	2A	0806inch_2016mm	0.80mm_Max
CIGT201610EH2R2MNE		2.2uH	+/-20%	0.073_ohm	2.5A	0806inch_2016mm	1.00mm_Max
CIGT252010LMR24MNE		0.24uH	+/-20%	0.012ohm	6A	1008inch_2520mm	1.00mm_Max
CIGT252008LMR24MNE		0.24uH	+/-20%	0.013ohm	6A	1008inch_2520mm	0.80mm_Max
CIGT252010LMR33MNE		0.33uH	+/-20%	0.017ohm	5A	1008inch_2520mm	1.00mm_Max
CIGT252010LMR47MNE		0.47uH	+/-20%	0.024ohm	4.2A	1008inch_2520mm	1.00mm_Max
CIGT252012LMR47MNE		0.47uH	+/-20%	0.02ohm	4.3A	1008inch_2520mm	1.20mm_Max
CIGT252010LMR68MNE		0.68uH	+/-20%	0.035ohm	3.3A	1008inch_2520mm	1.00mm_Max
CIGT252012LMR68MNE		0.68uH	+/-20%	0.028ohm	3.56A	1008inch_2520mm	1.20mm_Max
CIGT252008LM1R0MNE		1.0uH	+/-20%	0.043ohm	3.1A	1008inch_2520mm	0.80mm_Max
CIGT252010LM1R0MNE		1.0uH	+/-20%	0.043ohm	3.1A	1008inch_2520mm	1.00mm_Max
CIGT252012LM1R0MNE		1.0uH	+/-20%	0.034ohm	3.4A	1008inch_2520mm	1.20mm_Max
CIGT252010EH1R0MNE		1.0uH	+/-20%	0.026ohm	4.1A	1008inch_2520mm	1.00mm_Max
CIGT252010LM1R5MNE		1.5uH	+/-20%	0.065ohm	2.6A	1008inch_2520mm	1.00mm_Max
CIGT252012LM2R2MNE		2.2uH	+/-20%	0.07ohm	2A	1008inch_2520mm	1.20mm_Max
CIGT252008LM2R2MNE		2.2uH	+/-20%	0.083ohm	2A	1008inch_2520mm	0.80mm_Max
CIGT252010LM2R2MNE		2.2uH	+/-20%	0.081ohm	2.1A	1008inch_2520mm	1.00mm_Max
CIGT252007LM3R3MNC		3.3uH	+/-20%	0.243ohm	1.1A	1008inch_2520mm	0.70mm_Max
CIGW201610GLR33MLE		0.33uH	+/-20%	0.017ohm	5.2A	0806inch_2016mm	1.00mm_Max
CIGW201610GHR47MLE		0.47uH	+/-20%	0.026ohm	3.6A	0806inch_2016mm	1.00mm_Max
CIGW201610GLR47MLE		0.47uH	+/-20%	0.021ohm	4.7A	0806inch_2016mm	1.00mm_Max
CIGW201610GH1R0MLE		1.0uH	+/-20%	0.046ohm	2.7A	0806inch_2016mm	1.00mm_Max
CIGW201610GL1R0MLE		1.0uH	+/-20%	0.041ohm	3A	0806inch_2016mm	1.00mm_Max
CIGW201610GH2R2MLE		2.2uH	+/-20%	0.1ohm	1.8A	0806inch_2016mm	1.00mm_Max
CIGW201610GH4R7MLE		4.7uH	+/-20%	0.237ohm	1.1A	0806inch_2016mm	1.00mm_Max

CIGW201610GL4R7MLE		4.7uH	+/-20%	0.2ohm	1.3A	0806inch_2016mm	1.00mm_Max
CIGW252010GLR47MNE		0.47uH	+/-20%	0.015ohm	5.9A	1008inch_2520mm	1.00mm_Max
CIGW252010GL1R0MNE		1.0uH	+/-20%	0.034ohm	3.3A	1008inch_2520mm	1.00mm_Max
CIGW252010GL1R5MNE		1.5uH	+/-20%	0.045ohm	3.2A	1008inch_2520mm	1.00mm_Max
CIGW252010GL2R2MNE		2.2uH	+/-20%	0.078ohm	2.2A	1008inch_2520mm	1.00mm_Max
CIGW252010GL3R3MNE		3.3uH	+/-20%	0.094ohm	1.8A	1008inch_2520mm	1.00mm_Max
CIGW252010EH4R7MNE		4.7uH	+/-20%	0.13ohm	1.4A	1008inch_2520mm	1.00mm_Max
CIGW252012GM6R8MNE		6.8uH	+/-20%	0.25ohm	1.3A	1008inch_2520mm	1.20mm_Max

www.samsungsem.com

Samsung Eletro-Mechanics LCR component Library : Tantal_netlist

Part name	Use for	Nominal Capacitance	Capacitance Tolerance	ESR	Rated Voltage	Size	Thickness
TCPCF0J226MJAR0300		22uF	+/-20%	300_mohm_max_at_100kHz	6.3Vdc	1608mm_0603inch	0.90+/-0.10mm
TCPCF0J336MRAR0150		33uF	+/-20%	150_mohm_max_at_100kHz	6.3Vdc	2012mm_0805inch	0.90+/-0.10mm
TCPCF0J476MRAR0150		47uF	+/-20%	150_mohm_max_at_100kHz	6.3Vdc	2012mm_0805inch	0.90+/-0.10mm
TCPCF0J476MOAR201U		47uF	+/-20%	200_mohm_max_at_100kHz	6.3Vdc	2012mm_0805inch	0.70+/-0.10mm
TCPCF0J476MNAR201T		47uF	+/-20%	200_mohm_max_at_100kHz	6.3Vdc	2012mm_0805inch	0.80+/-0.10mm
TCPCM0J475MJAR0500		4.7uF	+/-20%	500_mohm_max_at_100kHz	6.3Vdc	1608mm_0603inch	0.90+/-0.10mm
TCPCM0J106MJAR0200		10uF	+/-20%	200_mohm_max_at_100kHz	6.3Vdc	1608mm_0603inch	0.90+/-0.10mm