

Part name	Use for	Capacitance	Tolerance	Temp. Char.	Rated Voltage	Size code	Thickness Max	Feature
CL01Y105MR5NLN	General	1uF	+/-20%	X7S	4Vdc	0306inch_0816mm	0.55mm	Reverse(Low ESL)
CL02A102KP2NNN	General	1nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02A102KQ2NNN	General	1nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A102MQLHNN	General	1nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	Embedded
CL02A103KP2NNN	General	10nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02A103KQ2NNN	General	10nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A104KQ2NNN	General	100nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A104MQ2NNN	General	100nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A104MR2NNN	General	100nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Normal
CL02A222KQ2NNN	General	2.2nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A224MQ2NNN	General	220nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A224MR2NNN	General	220nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Normal
CL02A510MQLHNN	General	51pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	Embedded
CL02A681MQLHNN	General	680pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	Embedded
CL02A682MQLHNN	General	6.8nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	Embedded
CL02B101KP2NNN	General	100pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B102KP2NNN	General	1nF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B121KP2NNN	General	120pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B221KP2NNN	General	220pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B331KO2NNN	General	330pF	+/-10%	X7R	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02B331KP2NNN	General	330pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B471KP2NNN	General	470pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02C010BO2GNN	General	1pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C020BO2GNN	General	2pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C030BO2GNN	General	3pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C040BO2GNN	General	4pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R3BO2GNN	General	0.3pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R4BO2GNN	General	0.4pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R5BO2GNN	General	0.5pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R9BO2GNN	General	0.9pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R2BO2GNN	General	1.2pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R5BO2GNN	General	1.5pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R6BO2GNN	General	1.6pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R7BO2GNN	General	1.7pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R8BO2GNN	General	1.8pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C220GO2GNN	General	22pF	+/-2%	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C270JO2NNN	General	27pF	+/-5%	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C2R4BO2GNN	General	2.4pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C2R9BO2GNN	General	2.9pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C3R3CO2GNN	General	3.3pF	+/-0.25pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C5R6BO2GNN	General	5.6pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C5R6CO2GNN	General	5.6pF	+/-0.25pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL03A103KA3NNN	General	10nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A103KP3NNN	General	10nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A103KP3NNW	General	10nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A103KQ3NNW	General	10nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KA3NNN	General	100nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KL3NNN	General	100nF	+/-10%	X5R	35Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KO3NNN	General	100nF	+/-10%	X5R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KP3NNN	General	100nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KP3NNW	General	100nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KP3ZNN	General	100nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Soft Termination(3mm)
CL03A104KQ3N3W	General	100nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KQ3NNN	General	100nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KQ3NNW	General	100nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MA3NNN	General	100nF	+/-20%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MO3NNN	General	100nF	+/-20%	X5R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MP3NNN	General	100nF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MQ3NNN	General	100nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A105KP3NSN	General	1uF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.35mm	Normal
CL03A105KQ3CSN	General	1uF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal
CL03A105MP3NSN	General	1uF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.35mm	Normal

CL03A105MP3ZSN	General	1uF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.35mm	Soft Termination(3mm)
CL03A105MQ3CNN	General	1uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A105MQ3CSN	General	1uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal
CL03A105MR3CSN	General	1uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.35mm	Normal
CL03A153KQ3NNN	General	15nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A223KA3NNN	General	22nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A223KQ3NNN	General	22nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A224KA3NRN	General	220nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.39mm	Normal
CL03A224KP3NNN	General	220nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A224KQ3NNN	General	220nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A224MQ3NNN	General	220nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A225MP3CRN	General	2.2uF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.39mm	Normal
CL03A225MQ3CRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Normal
CL03A225MQ3CSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal
CL03A225MQ3ISN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal
CL03A305MQ37RN	General	3uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Normal
CL03A305MQ3CRN	General	3uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Normal
CL03A334KA3NRN	General	330nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.39mm	Normal
CL03A405MR3CRN	General	4uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.39mm	Normal
CL03A472KA3NNN	General	4.7nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A472KP3NNN	General	4.7nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A472KP3NNW	General	4.7nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A473KP3NNN	General	47nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A473KQ3NNN	General	47nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A474KP3NNN	General	470nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.3mm	Normal
CL03A474KQ3NNN	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A474MQ3NNN	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A474MQ3NNW	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A475MQ5C65	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.55mm	Normal
CL03A683KQ3NNN	General	68nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03B102JA3NNN	General	1nF	+/-5%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B102KA3NNN	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B102KA3NNW	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B102KO3NNN	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B102KO3NNW	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B103KASVPB	Automotive	10nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.3mm	Normal(Epoxy)
CL03B103KO3NNW	General	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B103KP3NNN	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03B103KP3NNW	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03B103KQ3NNN	General	10nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03B151KA3NNN	General	150pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B151KO3NNN	General	150pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B152KP3NNN	General	1.5nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03B221KA3NNN	General	220pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B221KQ3NNN	General	220pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B271KO3NNN	General	270pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B331KA3NNN	General	330pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B332KP3NNN	General	3.3nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03B471KA3NNN	General	470pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B471KO3NNN	General	470pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B472KQ3NNN	General	4.7nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03B561KO3NNN	General	560pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03B681KA3NNN	General	680pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B681KA3NNW	General	680pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03B682KP3NNN	General	6.8nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03C010BA3GNN	General	1pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C010BB3GNN	General	1pF	+/-0.1pF	COG	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C010CA3GNN	General	1pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C020BA3GNN	General	2pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C030BA3GNN	General	3pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C030CB3GNN	General	3pF	+/-0.25pF	COG	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C050CA3GNN	General	5pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C060BA3GNN	General	6pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C060DA3GNN	General	6pF	+/-0.5pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C070BA3GNN	General	7pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Normal

CL03C080DA3GNN	General	8pF	+/-0.5pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C090CA3GNN	General	9pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R2BA3GNN	General	0.2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R3BA3GNN	General	0.3pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R4BA3GNN	General	0.4pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R4CA3GNN	General	0.4pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R5BA3GNN	General	0.5pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R5CA3GNN	General	0.5pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R6BA3GNN	General	0.6pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R6CA3GNN	General	0.6pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R7BA3GNN	General	0.7pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R8BA3GNN	General	0.8pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R8CA3GNN	General	0.8pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R9BA3GNN	General	0.9pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C0R9CA3GNN	General	0.9pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C100DA3GNN	General	10pF	+/-0.5pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C100JA3GNN	General	10pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C100JA3NNW	General	10pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C100JB3GNN	General	10pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C100JB3NNN	General	10pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C101JA3NNN	General	100pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C101JA3NNW	General	100pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C101JB3NNN	General	100pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C110GA3GNN	General	11pF	+/-2%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C110JA3GNN	General	11pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C120JA3GNN	General	12pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C120JA3NNN	General	12pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C150JA3NNN	General	15pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C160GA3GNN	General	16pF	+/-2%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C160JA3GNN	General	16pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C180JA3GNN	General	18pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C180JA3NNN	General	18pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R2BA3GNN	General	1.2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R2BB3GNN	General	1.2pF	+/-0.1pF	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R2CA3GNN	General	1.2pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R5BB3GNN	General	1.5pF	+/-0.1pF	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R5CA3GNN	General	1.5pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R6BA3GNN	General	1.6pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R8BA3GNN	General	1.8pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C1R8CA3GNN	General	1.8pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C200JA3GNN	General	20pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C220GA3GNN	General	22pF	+/-2%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C220JA3GNN	General	22pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C220JA3NNN	General	22pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C240JA3GNN	General	24pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C270JA3GNN	General	27pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C270JA3NNN	General	27pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R2BA3GNN	General	2.2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R2CA3GNN	General	2.2pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R4BA3GNN	General	2.4pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R4CA3GNN	General	2.4pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R6BA3GNN	General	2.6pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R7BA3GNN	General	2.7pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R7BB3GNN	General	2.7pF	+/-0.1pF	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C2R7CA3GNN	General	2.7pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C330JA3NNN	General	33pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C330JA3NNW	General	33pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C330JB3NNN	General	33pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C330JB3NNW	General	33pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C390JA3NNN	General	39pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R3BB3GNN	General	3.3pF	+/-0.1pF	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R6BA3GNN	General	3.6pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R6CA3GNN	General	3.6pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R9BA3GNN	General	3.9pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C470JA3NNN	General	47pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal

CL03C470JB3NNW	General	47pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C4R3BA3GNN	General	4.3pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C4R3CA3GNN	General	4.3pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C4R7CA3GNN	General	4.7pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C560JA3NNN	General	56pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R1BA3GNN	General	5.1pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R1CA3GNN	General	5.1pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R6BA3GNN	General	5.6pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R6CA3GNN	General	5.6pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C680JA3NNN	General	68pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C6R2BA3GNN	General	6.2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C6R8BA3GNN	General	6.8pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C6R8CA3GNN	General	6.8pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C7R5BA3GNN	General	7.5pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C820JA3NNN	General	82pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C8R2BA3GNN	General	8.2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C8R2CA3GNN	General	8.2pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C9R1CA3GNN	General	9.1pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104KQ3NNN	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104KQ3NNW	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03X105MR3NRN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Normal
CL03X224KQ3NNN	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL05A104JO5NNN	General	100nF	+/-5%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KA5NFN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KA5NNN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KA5NNW	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KO5NNN	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KO5NNW	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KP5NNN	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KP5NNW	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KQ5NNN	General	100nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104MO5NNN	General	100nF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104MQ2HNN	General	100nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.22mm	Normal
CL05A105JQ5NNN	General	1uF	+/-5%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KA5NFQ	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KA5NNN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KA5NQN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KA5NQW	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KL5NRN	General	1uF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.65mm	Normal
CL05A105KO5NFN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KO5NNN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KO5NNW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KO5NQW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KP5NFN	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KP5NNW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KP5NQW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KQ3LNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Normal
CL05A105KQ5NNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KQ5NNW	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105MO5NQW	General	1uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105MQ5NNN	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105MQ5NNW	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A106MP5NRN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Normal
CL05A106MP5ZUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Soft Termination(3mm)
CL05A106MP68UN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Normal
CL05A106MP6NUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Normal
CL05A106MP8NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.9mm	T-HMC(Low Acoustic)
CL05A106MP9NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	1mm	T-HMC(Low Acoustic)
CL05A106MQ5N3U	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Normal
CL05A106MQ5NRN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Normal
CL05A106MQ5NUN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Normal
CL05A106MQ8NUB	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.9mm	T-HMC(Low Acoustic)
CL05A106MR5NUN	General	10uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05A154KP5NNN	General	150nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A156MP7N6J	General	15uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Normal

CL05A156MR6NWR	General	15uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	3T(Low ESL)
CL05A206MR5CRN	General	20uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Normal
CL05A224KA5NNN	General	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KO5NNN	General	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KP5NNN	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KP5NNW	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KQ5NNN	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KQ5NNW	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224MP5NNN	General	220nF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224MQLHEC	General	220nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.11mm	Embedded
CL05A225KA5NUN	General	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Normal
CL05A225KO5NQN	General	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A225KP5NNN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225KP5NSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225KP5ZSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Soft Termination(3mm)
CL05A225KP7NSB	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A225KQ5NNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225KQ5NSN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MA5JUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MA5NOB	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.6mm	T-HMC(Low Acoustic)
CL05A225MA5NUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Normal
CL05A225MO5NQN	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A225MP5NNN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MP5NSN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MQ3LRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Normal
CL05A225MQ5NNN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MQ5NNW	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MQ5NSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MQ5ZSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MR5NNN	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MR5NNW	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Normal
CL05A226MQ5QUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Normal
CL05A334KA5NNN	General	330nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A334KQ5NNN	General	330nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A334MQ5NNN	General	330nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A425KO5LUN	General	4.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A435MR5NWN	General	4.3uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05A474KA5NNN	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KA5NNW	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KO5NNN	General	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KP5NNN	General	470nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KQ5NNN	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KQ5NNW	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A475KP5ZRN	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Soft Termination(3mm)
CL05A475KQ5NRR	General	4.7uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Normal
CL05A475MO5LUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A475MO5NUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.7mm	Normal
CL05A475MP7NRB	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A475MQ5NRR	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Normal
CL05A475MR5NQN	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Normal
CL05A675MRBNWR	General	6.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.39mm	3T(Low ESL)
CL05B102JB5NNN	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102JB5NNW	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KA5NNW	General	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KA5VPN	Automotive	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B102KB5NCN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5NFN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5NNN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5NNW	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5VPN	Automotive	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B102KC5VPN	Automotive	1nF	+/-10%	X7R	100Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B102KO5NNW	General	1nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KO5VPN	Automotive	1nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B103JA5NNW	General	10nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103JO5NNN	General	10nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal

CL05B103JO5NNW	General	10nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5NFN	General	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5NNN	General	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5NNW	General	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5VPJ	Automotive	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B103KA5VPN	Automotive	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B103KB5NFN	General	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KB5NNN	General	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KB5NNW	General	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KB5VPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B103KB5VPN	Automotive	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B103KO5NCN	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5NFN	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5NNN	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5NNW	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5VPJ	Automotive	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B103MO5NNW	General	10nF	+/-20%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104JO5NNN	General	100nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KA5NNN	General	100nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KA5NNW	General	100nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KB54PN	Automotive	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B104KB5NFN	General	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KB5NNN	General	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KB5NNW	General	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO3LNN	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.33mm	Normal
CL05B104KO5NFN	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO5NNN	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO5NNW	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO5VPJ	Automotive	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B104KO5VPN	Automotive	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B104KP5NFN	General	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KP5NNN	General	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KP5NNW	General	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KP5VPN	Automotive	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B104KQ5NNN	General	100nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104MO5NNN	General	100nF	+/-20%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104MP5NNN	General	100nF	+/-20%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B122JB5NNN	General	1.2nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152JB5NNN	General	1.5nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KA5NNN	General	1.5nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KA5VPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B152KB5NNN	General	1.5nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KB5NNW	General	1.5nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KB5VPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B152KO5VPN	Automotive	1.5nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B153KA5NNW	General	15nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B153KA5VPN	Automotive	15nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B153KB5NNN	General	15nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B153KB5VPN	Automotive	15nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B153KO5NNW	General	15nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B153KO5VPN	Automotive	15nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B181KB5NNN	General	180pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B182KB5NNN	General	1.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B182KB5NNW	General	1.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B182KB5VPN	Automotive	1.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B183KA5NNN	General	18nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B221JB5NNN	General	220pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B221KB5NNN	General	220pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B221KB5NNW	General	220pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222KA5VPN	Automotive	2.2nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B222KB5NNN	General	2.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222KB5NNW	General	2.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222KB5VPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B222KC5VPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B222KO5VPN	Automotive	2.2nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)

CL05B223JO5NNN	General	22nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KA5NNN	General	22nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KA5NNW	General	22nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KA5VPN	Automotive	22nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B223KB5NNN	General	22nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KB5NNW	General	22nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KB5VPN	Automotive	22nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B223KO5NFN	General	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KO5NNN	General	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KO5NNW	General	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KO5VPN	Automotive	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B223KP5NNN	General	22nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KA5NNW	General	220nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KA5VPN	Automotive	220nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.5mm	Normal(Epoxy)
CL05B224KO5NFN	General	220nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KO5NNN	General	220nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KO5NNW	General	220nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KP5NNN	General	220nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KP5NNW	General	220nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KP5VPN	Automotive	220nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B224KQ5NNW	General	220nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B271KB5NNW	General	270pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B272KB5NNN	General	2.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B272KB5NNW	General	2.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B273KO5NNN	General	27nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B273KP5NNN	General	27nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B273KP5NNW	General	27nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B301KB5NNN	General	300pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331JB5NNN	General	330pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331KB5NNN	General	330pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331KB5NNW	General	330pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331KB5VPN	Automotive	330pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332JA5NNN	General	3.3nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332JB5VPN	Automotive	3.3nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332KA5VPN	Automotive	3.3nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332KB5NFN	General	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332KB5NNN	General	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332KB5NNW	General	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332KB5VPN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332KO5VPN	Automotive	3.3nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333JO5NNN	General	33nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KA5NNW	General	33nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KA5VPN	Automotive	33nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333KB5VPN	Automotive	33nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333KO5NFN	General	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KO5NNN	General	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KO5NNW	General	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KO5VPN	Automotive	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333KP5NNW	General	33nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KP5VPN	Automotive	33nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B391KB5NNN	General	390pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B391KB5NNW	General	390pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B392KB5NNN	General	3.9nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5NFN	General	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5NNN	General	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5NNW	General	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5VPN	Automotive	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B472JB5NNN	General	4.7nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KA5NNN	General	4.7nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KA5VPN	Automotive	4.7nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B472KB5NNN	General	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KB5NNW	General	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KB5VPN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B472KO5VPN	Automotive	4.7nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473JO5NNN	General	47nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal

CL05B473KA5NNN	General	47nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KA5NNW	General	47nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KA5VPN	Automotive	47nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473KB5VPN	Automotive	47nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473KO5NFN	General	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KO5NNN	General	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KO5NNW	General	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KO5VPN	Automotive	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473KP5NNN	General	47nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KP5NNW	General	47nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B474KP5NNN	General	470nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B474KQ5NNN	General	470nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B561JB5NNN	General	560pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B561KB5NNW	General	560pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B562KA5NNN	General	5.6nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B562KA5NNW	General	5.6nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B562KB5NFN	General	5.6nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B562KB5NNN	General	5.6nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B681JB5NNN	General	680pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B681KB5NNN	General	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B681KB5NNW	General	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682JB5NNN	General	6.8nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KA5NNN	General	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KA5NNW	General	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KA5VPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B682KB5NNN	General	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KB5VPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B682KO5VPN	Automotive	6.8nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B683KO5NNN	General	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B683KO5NNW	General	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B683KO5VPN	Automotive	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B683KP5NNN	General	68nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KA5NNN	General	8.2nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KB5NNN	General	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KB5NNW	General	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KB5VPN	Automotive	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B822KO5NNN	General	8.2nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B823KO5NNW	General	82nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B823KP5NNN	General	82nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010BB5NCN	General	1pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010BB5NNN	General	1pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010CB51PN	Automotive	1pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010CB5NNN	General	1pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C020BB51PN	Automotive	2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C020CB5NNW	General	2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C030CB51PN	Automotive	3pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C040CB51PN	Automotive	4pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C040CB5NNW	General	4pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C050BB5NNN	General	5pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C050CB5NNN	General	5pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C050DB5NNN	General	5pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060CB51PN	Automotive	6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060CB5NNN	General	6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060DB51PN	Automotive	6pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060DB5NNN	General	6pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C070CB5NNN	General	7pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C070DB5NNN	General	7pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C080CB5NNN	General	8pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C080DB51PN	Automotive	8pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090CB5NNN	General	9pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090CB5NNW	General	9pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090DB5NNN	General	9pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C0R5BB5NNN	General	0.5pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C0R5CB5NNW	General	0.5pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100CB5NCN	General	10pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal

CL05C100CB5NNN	General	10pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100DB5NCN	General	10pF	+/-0.5pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100DB5NNN	General	10pF	+/-0.5pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100GB51PN	Automotive	10pF	+/-2%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB51PN	Automotive	10pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB5NFN	General	10pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB5NNN	General	10pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB5NNW	General	10pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JC51PN	Automotive	10pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101FB5NNN	General	100pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB51PN	Automotive	100pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NCN	General	100pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NFN	General	100pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NNN	General	100pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NNW	General	100pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JC51PN	Automotive	100pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JC5NNN	General	100pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101KB5NNN	General	100pF	+/-10%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JB5NFN	General	1nF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JB5NNN	General	1nF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JB5NNW	General	1nF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JO5NNN	General	1nF	+/-5%	COG	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05C110JB5NNN	General	11pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120CB5NNW	General	12pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120GB5NNN	General	12pF	+/-2%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120JB51PN	Automotive	12pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120JB5NNN	General	12pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120JC51PN	Automotive	12pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C121JB51PN	Automotive	120pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C121JB5NNN	General	120pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150CB5NNW	General	15pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB51PN	Automotive	15pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB5NCN	General	15pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB5NNN	General	15pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB5NNW	General	15pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JC51PN	Automotive	15pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151FB51PN	Automotive	150pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151JB51PN	Automotive	150pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151JB5NNN	General	150pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151JB5NNW	General	150pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C160JB5NCN	General	16pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180FB5NNW	General	18pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180GB5NCN	General	18pF	+/-2%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB51PN	Automotive	18pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB5NCN	General	18pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB5NFN	General	18pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB5NNN	General	18pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JC51PN	Automotive	18pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C181JA5NNN	General	180pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05C181JB5NNN	General	180pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C181JB5NNW	General	180pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2BB5NCN	General	1.2pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2BB5NNN	General	1.2pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2CB5NNN	General	1.2pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R3BB5NNN	General	1.3pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R3CB5NNW	General	1.3pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5BB51PN	Automotive	1.5pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5BB5NNN	General	1.5pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5CB51PN	Automotive	1.5pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5CB5NCN	General	1.5pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R8BB5NNN	General	1.8pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200GB51PN	Automotive	20pF	+/-2%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200GB5NNN	General	20pF	+/-2%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200JB51PN	Automotive	20pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200JB5NNW	General	20pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal

CL05C201JB5NNN	General	200pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB51PN	Automotive	22pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB5NCN	General	22pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB5NFN	General	22pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB5NNN	General	22pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB5NNW	General	22pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JC51PN	Automotive	22pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB51PN	Automotive	220pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB5NFN	General	220pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB5NNN	General	220pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB5NNW	General	220pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C240JB5NNN	General	24pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C240JB5NNW	General	24pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JA5NNN	General	27pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JB51PN	Automotive	27pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JB5NNN	General	27pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JB5NNW	General	27pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JC51PN	Automotive	27pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C271JB5NNN	General	270pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C271JB5NNW	General	270pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2BB5NNN	General	2.2pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2CB51PN	Automotive	2.2pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2CB5NNW	General	2.2pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2CC51PN	Automotive	2.2pF	+/-0.25pF	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R4BB5NNN	General	2.4pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R4BB5NNW	General	2.4pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R4CB5NNN	General	2.4pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R5BB5NNN	General	2.5pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R5CB5NNN	General	2.5pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R7BB5NNN	General	2.7pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C300JB5NCN	General	30pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330FB5NNN	General	33pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB51PN	Automotive	33pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NCN	General	33pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NFN	General	33pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NNN	General	33pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NNW	General	33pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JC51PN	Automotive	33pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C331JB5NNN	General	330pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C331JB5NNW	General	330pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C360JB5NNN	General	36pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JB51PN	Automotive	39pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JB5NNN	General	39pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JB5NNW	General	39pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JC51PN	Automotive	39pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C391JB5NNN	General	390pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C391JB5NNW	General	390pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R3BB5NNN	General	3.3pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R3CB5NNN	General	3.3pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R6CB5NNN	General	3.6pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R9CB51PN	Automotive	3.9pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R9CB5NNN	General	3.9pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C430JB5NNN	General	43pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470FB5NNN	General	47pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470FB5NNW	General	47pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB51PN	Automotive	47pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB5NFN	General	47pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB5NNN	General	47pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB5NNW	General	47pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JC51PN	Automotive	47pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C471JB5NFN	General	470pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C471JB5NNN	General	470pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C471JB5NNW	General	470pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R3CB5NNW	General	4.3pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R7CB51PN	Automotive	4.7pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Normal

CL05C4R7CB5NNN	General	4.7pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R7CB5NNW	General	4.7pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R7CC51PN	Automotive	4.7pF	+/-0.25pF	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560FB5NNN	General	56pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JB51PN	Automotive	56pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JB5NNN	General	56pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JB5NNW	General	56pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JC51PN	Automotive	56pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C561JB5NNW	General	560pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R1CB5NNN	General	5.1pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6BB5NNN	General	5.6pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6CB5NNW	General	5.6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6DB5NNN	General	5.6pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C620JB5NNN	General	62pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680FB51PN	Automotive	68pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JB51PN	Automotive	68pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JB5NNN	General	68pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JB5NNW	General	68pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JC51PN	Automotive	68pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C681JB5NNN	General	680pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C681JB5NNW	General	680pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R2CB5NNN	General	6.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R2DB5NNN	General	6.2pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R8CB51PN	Automotive	6.8pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R8CB5NNN	General	6.8pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R8DB51PN	Automotive	6.8pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C750JB5NNN	General	75pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JB51PN	Automotive	82pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JB5NNN	General	82pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JB5NNW	General	82pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JC51PN	Automotive	82pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C821JB5NFN	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C821JB5NNN	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C821JB5NNW	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2BB51PN	Automotive	8.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2CB51PN	Automotive	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2CB5NNN	General	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2CB5NNW	General	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C910JB5NNN	General	91pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05CR75BB5NNN	General	0.75pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05CR75CB5NNW	General	0.75pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05F104ZO5NNN	General	100nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F105ZQ5NNN	General	1uF	-20/+80%	Y5V	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05F153ZB5NNN	General	15nF	-20/+80%	Y5V	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05F223ZA5NNN	General	22nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05F223ZO5NNN	General	22nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F224ZO5NNN	General	220nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F224ZP5NNN	General	220nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05F333ZA5NNN	General	33nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05F334ZP5NNN	General	330nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05F473ZO5NNN	General	47nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F474ZP5NNN	General	470nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05G221JB51PN	Automotive	220pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.5mm	Normal
CL05X105KA5NQN	General	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05X105KP5NNN	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KP5NNW	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NFN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NNN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NNW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NQW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.6mm	Normal
CL05X105MP3JQN	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.33mm	Normal
CL05X106MR5NUN	General	10uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05X206MS6N6B	General	20uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.85mm	T-HMC(Low Acoustic)
CL05X225KP5QUW	General	2.2uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Normal
CL05X225MQ5NSN	General	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.57mm	Normal

CL05X225MS5NSN	General	2.2uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.57mm	Normal
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05Y105KP6VPN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Normal(Epoxy)
CL05Y105KPAVPN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.67mm	Normal(Epoxy)
CL05Y105KQ6VPN	Automotive	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Normal(Epoxy)
CL05Y224KO5VPN	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05Y224KP5VPN	Automotive	220nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05Y224KQ5VPN	Automotive	220nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05Y474KP5VPN	Automotive	470nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Normal(Epoxy)
CL10A104KA8NNN	General	100nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KA8NFN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KA8NNN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KA8NNW	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KB8NNN	General	1uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KL8NNN	General	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KO8NNN	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KP8NNW	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KP8NNN	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KP8NNW	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KQ8NNN	General	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105MB8NNN	General	1uF	+/-20%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105MO8NNN	General	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KO8NQN	General	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10A106KP8NFN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KP8NNN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KQ8NNN	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KQ8NNW	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MA8NRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Normal
CL10A106MA8ZRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Normal
CL10A106MAEURN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	ANSC(Low Acoustic)
CL10A106MO8NQN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10A106MP8NFN	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MP8NFS	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.95mm	Normal
CL10A106MP8NNN	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MPNNHB	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	T-HMC(Low Acoustic)
CL10A106MQ8NNN	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MQ8NNW	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MQ8ZQN	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Soft Termination(3mm)
CL10A106MR8NNW	General	10uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10A224KA8NNW	General	220nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A224KB8NNN	General	220nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A224KP8NNN	General	220nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KA5LNN	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KA8NNN	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KB8NNN	General	2.2uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KL8NNN	General	2.2uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO5LNN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KO8N3N	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO8NFN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO8NNN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO8NNW	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KP5LNN	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KP8NNN	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KP8NNW	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KQ5LNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KQ8N3N	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KQ8NNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KQ8NNW	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225MP8NNN	General	2.2uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A226KQ8NRN	General	22uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MO79ZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MO7FZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MO7JZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MP7LUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MP7ZZB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.8mm	Normal

CL10A226MP8NRN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Normal
CL10A226MP8NUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Normal
CL10A226MP8ZUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Normal
CL10A226MP9NZB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	T-HMC(Low Acoustic)
CL10A226MPCNUB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.95mm	T-HMC(Low Acoustic)
CL10A226MPMNUB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1.25mm	T-HMC(Low Acoustic)
CL10A226MQ7LUN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MQ7NRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A226MQ8NFR	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MQ8NRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MQ8NUN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MQCNRB	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	T-HMC(Low Acoustic)
CL10A226MQCNUB	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	T-HMC(Low Acoustic)
CL10A226MQMNUB	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.25mm	T-HMC(Low Acoustic)
CL10A226MR8NQN	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.95mm	Normal
CL10A226MR8NQW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.95mm	Normal
CL10A226MR8NUW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Normal
CL10A335KP8NFN	General	3.3uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A335KP8NNN	General	3.3uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KA8NNN	General	470nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KA8NNW	General	470nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KB8NNN	General	470nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KO8NNN	General	470nF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KP8NNW	General	470nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KA8NQN	General	4.7uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.95mm	Normal
CL10A475KL8NRN	General	4.7uF	+/-10%	X5R	35Vdc	0603inch_1608mm	1mm	Normal
CL10A475KO8NFN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KO8NNN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KO8NQN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10A475KP5LNN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.5mm	Normal
CL10A475KP8NFN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KP8NNN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KP8NNW	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KQ5LNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Normal
CL10A475KQ8NFN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KQ8NNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KQ8NNW	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MA8NQN	General	4.7uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.95mm	Normal
CL10A475MO8NNN	General	4.7uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MQ8NNN	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MQ8NNW	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MQ8NQW	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10A476MQ7LZN	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.8mm	Normal
CL10A476MQ8QRN	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A476MQENRB	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.2mm	T-HMC(Low Acoustic)
CL10A476MR8NRN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Normal
CL10A476MR8NRW	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Normal
CL10A476MR8NZN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1.1mm	Normal
CL10B102JB8NFN	General	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102JB8WPN	Automotive	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B102KA8WPN	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B102KB8NCN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8NFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8NNN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8NNW	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8SFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8WPJ	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B102KC84PE	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B102KC8NFN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KC8NNN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KC8NNW	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KC8WPJ	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B102KC8WPN	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103JB8NFN	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10B103JB8NNW	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KA8NFN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KA8NNN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KA8WPN	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103KB8NFN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KB8NNN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KB8NNW	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KB8WPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B103KC8NNN	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KC8NNW	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KC8WPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103KO8NNN	General	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103MB8NCN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103MB8NNN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104JA8NNN	General	100nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104JB8NNN	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104JB8NNW	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8NFN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8NNN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8NNW	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8VPJ	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B104KA8VPN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KA8WPN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KB8NFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8NNN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8NNW	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8SFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8VPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KB8ZW6	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B104KC8N3W	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KC8NNN	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KC8VPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B104KC8VPN	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KO8NFN	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KO8NNN	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KO8NNW	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KO8WPN	Automotive	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104MA8NNW	General	100nF	+/-20%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104MB8NFN	General	100nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104MB8NNN	General	100nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8NFN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8NNN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8NNW	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8VPJ	Automotive	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B105KA8VPN	Automotive	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B105KA8Z4J	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B105KA8ZFN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KB8NQN	General	1uF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.95mm	Normal
CL10B105KO8NFN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KO8NNN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KO8NNW	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KO8VPN	Automotive	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B105KO8ZFN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8NFN	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8NNN	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8NNW	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8VPN	Automotive	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B105KQ8NNN	General	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KQ8VPJ	Automotive	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B105KQ8VPN	Automotive	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B106MQ8NFR	General	10uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	1mm	Normal

CL10B106MQ8NRN	General	10uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10B121KB8NNN	General	120pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B122KB8NFN	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B122KB8NNN	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B123KB8NNN	General	12nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B151KB8NNN	General	150pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KA8WPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B152KB8NFN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KB8NNN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KB8NNW	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KB8WPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B152KC84PE	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B152KC8NNN	General	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KC8WPN	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B153KA8WPN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B153KB8NFN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B153KB8NNN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B153KB8WPN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B153KO8NNN	General	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KA8NFN	General	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KA8VPN	Automotive	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B154KB8VPN	Automotive	150nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B154KO8NFN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KO8NNN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KO8NNW	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KO8VPN	Automotive	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B182KB8NFN	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B183JB8NNN	General	18nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B201KB8NNN	General	200pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B202KB8NNN	General	2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B203KB8NNN	General	20nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221JB8NNN	General	220pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221KB8NFN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221KB8NNN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221KB8WPN	Automotive	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B221KC8WPN	Automotive	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B222JB8NNW	General	2.2nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KA8WPN	Automotive	2.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B222KB8NFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8NNN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8NNW	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8SFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8WPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B222KC84PE	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223JB8NFN	General	22nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KA8NFN	General	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KA8WPN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223KB8NFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8NNN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8NNW	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8SFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8VPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223KC8VPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B223KC8WPN	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223KO8NNN	General	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224JO8NNN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224JO8SFN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224JP8NNN	General	220nF	+/-5%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8NFN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8NNN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8SFN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8VPN	Automotive	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B224KB8NFN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10B224KB8NNN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KB8NNW	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KB8SFN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KB8VPJ	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B224KB8VPN	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B224KB8Z4J	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B224KO8NFN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8NNN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8NNW	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8SFN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8VPN	Automotive	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B224KP8NFN	General	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KP8NNW	General	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KP8VPN	Automotive	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B225KP8NFN	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B225KP8NNN	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B225KQ8NFN	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B225KQ8NNN	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B271KC8WPN	Automotive	270pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B272JB8NNN	General	2.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B272KB8NFN	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B272KB8NNN	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KA8NNN	General	27nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KB8NNN	General	27nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KB8NNW	General	27nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KO8NNN	General	27nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B274KO8VPN	Automotive	270nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B301KB8NNN	General	300pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B331JB8NNN	General	330pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B331KB8NFN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B331KB8NNN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KA8WPN	Automotive	3.3nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B332KB8NFN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KB8NNN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KB8NNW	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KB8WPN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B332KC84PE	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B332KC8NNN	General	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KC8WPN	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B332MB8NNN	General	3.3nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B333KA85PN	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B333KB8NFN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B333KB8NNN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B333KO8NFN	General	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B334KA8VPN	Automotive	330nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B334KO8NFN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B334KO8NNN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B334KO8VPN	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B334KP8NNN	General	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B391KB8NNN	General	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B392KB8NFN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B392KB8NNN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B393KA8NNW	General	39nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B393KB8NNN	General	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B393KO8NNN	General	39nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B471JB8NNN	General	470pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B471KB8NFN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B471KB8NNN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B471KB8WPN	Automotive	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B471KC8WPN	Automotive	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472JB8WPN	Automotive	4.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472KA8NNN	General	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KA8WPN	Automotive	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472KB8NFN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10B472KB8NNN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KB8NNW	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KB8SFN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KB8WPJ	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B472KB8WPN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472KC84PE	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B472KC8NNN	General	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KC8WPJ	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473JB8NNN	General	47nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473JO8NNN	General	47nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KA85PN	Automotive	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473KA8NFN	General	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KA8NNW	General	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KA8VPJ	Automotive	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B473KB8NFN	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KB8NNN	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KB8NNW	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KB8VPJ	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B473KB8WPN	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473KC8VPJ	Automotive	47nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B473KC8WPN	Automotive	47nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473KO8NFN	General	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KO8NNN	General	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KO8VPJ	Automotive	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B474KA8NFN	General	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KA8NNN	General	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KA8VPN	Automotive	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B474KB8Z4J	General	470nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B474KO8NFN	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KO8NNN	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KO8NNW	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KO8VPN	Automotive	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B474KP8NNN	General	470nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KP8VPN	Automotive	470nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B474KQ8NNN	General	470nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B475KQ8NFK	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10B475KQ8NQN	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10B475MQ8NQN	General	4.7uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10B511KB8NNN	General	510pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B561JB8NNN	General	560pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B561KC8WPN	Automotive	560pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B562JB8NNN	General	5.6nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B562KB8NFN	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B562KB8NNN	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B563KA8NNN	General	56nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B563KB8SFN	General	56nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B563KO8NNN	General	56nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B681JB8NNN	General	680pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B681KB8NFN	General	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B681KB8NNW	General	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682JB8NNN	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KA8WPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B682KB8NFN	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KB8NNN	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KB8NNW	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KB8WPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B682KC84PE	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B682KC8WPN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B683KA8NNN	General	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B683KB8NFN	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B683KB8NNN	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B683KB8VPJ	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B683KB8WPN	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)

CL10B683KO8WPN	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KA8VPN	Automotive	680nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KO8NFN	General	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B684KO8VPN	Automotive	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KP8VPN	Automotive	680nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KQ8NNN	General	680nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B821KB8NFN	General	820pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B822KB8NFN	General	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B822KB8WPN	Automotive	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B823KB8NFN	General	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B823KO8NNN	General	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10C010BB8NNN	General	1pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C010CB8NNW	General	1pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C020CB81PN	Automotive	2pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C020CB8NNN	General	2pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C030CB81PN	Automotive	3pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C040BB8NNN	General	4pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C040CB8NNN	General	4pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050BB8NNN	General	5pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050BB8NNW	General	5pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050CB81PN	Automotive	5pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050CB8NFN	General	5pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050DB8NNN	General	5pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C060CB81PN	Automotive	6pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C060DB81PN	Automotive	6pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C060DB8NNN	General	6pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C070BB8NNN	General	7pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C070CB8NNN	General	7pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C070DB8NNN	General	7pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C080DB81PN	Automotive	8pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C090DB81PN	Automotive	9pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C0R3BB8NNN	General	0.3pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C0R5CB8NNN	General	0.5pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C0R8BB8NNN	General	0.8pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100BB8NNN	General	10pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100CB81PN	Automotive	10pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100CB8NNN	General	10pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100CB8NNW	General	10pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100DB81PN	Automotive	10pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100FB8NNN	General	10pF	+/-1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JB81PN	Automotive	10pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JB8NCN	General	10pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JB8NFN	General	10pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JB8NNN	General	10pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JB8NNW	General	10pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JC81PN	Automotive	10pF	+/-5%	C0G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JC8NNN	General	10pF	+/-5%	C0G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100JC8NNW	General	10pF	+/-5%	C0G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C100KB8NNN	General	10pF	+/-10%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101FB81PN	Automotive	100pF	+/-1%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101GB8NNN	General	100pF	+/-2%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JB81PN	Automotive	100pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JB8NCN	General	100pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JB8NFN	General	100pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JB8NNN	General	100pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JB8NNW	General	100pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JC81PN	Automotive	100pF	+/-5%	C0G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JC8NNN	General	100pF	+/-5%	C0G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C101JC8NNW	General	100pF	+/-5%	C0G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C102FB8NNN	General	1nF	+/-1%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C102JA8NFN	General	1nF	+/-5%	C0G	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C102JA8NNN	General	1nF	+/-5%	C0G	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C102JB81PN	Automotive	1nF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C102JB8NFN	General	1nF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C102JB8NNN	General	1nF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10C102JB8NNW	General	1nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C102JC8NNN	General	1nF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C110JB8NNN	General	11pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C111JB8NNN	General	110pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C120JB81PN	Automotive	12pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C120JB8NFN	General	12pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C120JB8NNN	General	12pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C120JB8NNW	General	12pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C120JC81PN	Automotive	12pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C120JC8NNN	General	12pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C121FB8NNN	General	120pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C121JB81PN	Automotive	120pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C121JB8NCN	General	120pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C121JB8NFN	General	120pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C121JB8NNN	General	120pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C121JB8NNW	General	120pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C121JC81PN	Automotive	120pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C122JB8NNN	General	1.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C122JB8NNW	General	1.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C130JB8NNN	General	13pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C140JB8NNN	General	14pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150FB8NNN	General	15pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150FB8NNW	General	15pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150JB81PN	Automotive	15pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150JB8NCN	General	15pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150JB8NFN	General	15pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150JB8NNN	General	15pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150JB8NNW	General	15pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150JC81PN	Automotive	15pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C150KB8NNN	General	15pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151FB8NNN	General	150pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151GB8NNN	General	150pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB81PN	Automotive	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB8NCN	General	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB8NFN	General	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB8NNN	General	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JC81PN	Automotive	150pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JC8NNW	General	150pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152GA8NNW	General	1.5nF	+/-2%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152JB8NFN	General	1.5nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152JB8NNN	General	1.5nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152JB8NNW	General	1.5nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C161JB8NNN	General	160pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB81PN	Automotive	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB8NFN	General	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB8NNN	General	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB8NNW	General	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JC81PN	Automotive	18pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181FB8NNN	General	180pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JB81PN	Automotive	180pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JB8NFN	General	180pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JB8NNN	General	180pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JC81PN	Automotive	180pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JB8NFN	General	1.8nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JB8NNN	General	1.8nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C1R8BB81PN	Automotive	1.8pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C1R8BB8NNN	General	1.8pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C1R8CB81PN	Automotive	1.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C1R8CB8NNW	General	1.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB81PN	Automotive	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB8NCN	General	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB8NFN	General	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB8NNN	General	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JC81PN	Automotive	20pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C201JB8NNN	General	200pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10C201JB8NNW	General	200pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220FB8NNW	General	22pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220GB8NNW	General	22pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB81PN	Automotive	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB8NFN	General	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB8NNN	General	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB8NNW	General	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JC81PN	Automotive	22pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221FB8NNN	General	220pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221GB8NNN	General	220pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB81PN	Automotive	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NCN	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NFN	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NNN	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NNW	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JC81PN	Automotive	220pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JC8NNW	General	220pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221KB8NNN	General	220pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221KC8NNN	General	220pF	+/-10%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221KD8NNN	General	220pF	+/-10%	COG	200Vdc	0603inch_1608mm	0.9mm	Normal
CL10C222JB8NFN	General	2.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C222JB8NNN	General	2.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C222JB8NNW	General	2.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C240JB8NCN	General	24pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C241JB8NNN	General	240pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C250JB8NNN	General	25pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270FB8NNN	General	27pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270GB8NNN	General	27pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JB81PN	Automotive	27pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JB8NFN	General	27pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JB8NNN	General	27pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JB8NNW	General	27pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JC81PN	Automotive	27pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271GB8NNN	General	270pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271JB81PN	Automotive	270pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271JB8NNN	General	270pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271JC8NNW	General	270pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C272JB8NNN	General	2.7nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R2BB8NNW	General	2.2pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R2CB8NNN	General	2.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R2CB8NNW	General	2.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R4BB8NNN	General	2.4pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R4CB8NNN	General	2.4pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R7CB81PN	Automotive	2.7pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C300FB8NNN	General	30pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C300JB8NCN	General	30pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330FB8NNN	General	33pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330GB8NNN	General	33pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB81PN	Automotive	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB8NFN	General	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB8NNN	General	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB8NNW	General	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JC81PN	Automotive	33pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JC8NNW	General	33pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330KB8NNN	General	33pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331FB8NNN	General	330pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331GB8NNN	General	330pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB81PN	Automotive	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB8NFN	General	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB8NNN	General	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB8NNW	General	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JC8NNN	General	330pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JC8NNW	General	330pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C332JA8NNN	General	3.3nF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C332JB8NFN	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10C332JB8NNN	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C361JB8NNN	General	360pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390FB81PN	Automotive	39pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390GB8NNN	General	39pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JB81PN	Automotive	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JB8NCN	General	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JB8NNW	General	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JC81PN	Automotive	39pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C391JB81PN	Automotive	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C391JB8NFN	General	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R3CB81PN	Automotive	3.3pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R3CB8NNW	General	3.3pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R5CB8NNN	General	3.5pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R6BB8NNN	General	3.6pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R6CB8NNN	General	3.6pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R9BB8NNW	General	3.9pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R9CB8NNW	General	3.9pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C430JB8NNN	General	43pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C431JB8NNN	General	430pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470FB81PN	Automotive	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470FB8NNN	General	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470GB8NNN	General	47pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB81PN	Automotive	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB8NFN	General	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB8NNN	General	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB8NNW	General	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JC81PN	Automotive	47pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JC8NNN	General	47pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470KB8NNW	General	47pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB81PN	Automotive	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NCN	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NFN	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NNN	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NNW	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JC8NFN	General	470pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JC8NNN	General	470pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JE8NNN	General	470pF	+/-5%	COG	250Vdc	0603inch_1608mm	0.9mm	Normal
CL10C472JB8NNN	General	4.7nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R3BB8NNN	General	4.3pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R7BB8NNN	General	4.7pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R7BB8NNW	General	4.7pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R7CB8NNW	General	4.7pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C510JB8NNN	General	51pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C511JB8NNN	General	510pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560FB8NNN	General	56pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB81PN	Automotive	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB8NFN	General	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB8NNN	General	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB8NNW	General	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JC81PN	Automotive	56pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C561JB81PN	Automotive	560pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C561JB8NFN	General	560pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C561JB8NNN	General	560pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C562JB8NNN	General	5.6nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R1CB8NNN	General	5.1pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6BB8NNN	General	5.6pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6CB81PN	Automotive	5.6pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6CB8NNW	General	5.6pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6CC81PN	Automotive	5.6pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6DB81PN	Automotive	5.6pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6DB8NNN	General	5.6pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C620JB8NNN	General	62pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680GB8NNN	General	68pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JB81PN	Automotive	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JB8NFN	General	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10C680JB8NNN	General	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JB8NNW	General	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JC8NNN	General	68pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681FB8NNN	General	680pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JA8NNN	General	680pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JA8NNW	General	680pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JB81PN	Automotive	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JB8NFN	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JB8NNN	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R2CB8NNN	General	6.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R2CB8NNW	General	6.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R2DB8NNN	General	6.2pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R8CB8NNN	General	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R8CB8NNW	General	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R8DB8NNW	General	6.8pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C751JB8NNN	General	750pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C7R5B8NNN	General	7.5pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C7R5CB8NNN	General	7.5pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C7R5DB8NNN	General	7.5pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820GB8NNN	General	82pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JB81PN	Automotive	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JB8NFN	General	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JB8NNW	General	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JC81PN	Automotive	82pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C821JB81PN	Automotive	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C821JB8NFN	General	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C8R2CB81PN	Automotive	8.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C8R2CB8NNW	General	8.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C8R2DB8NNN	General	8.2pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C910JB8NNN	General	91pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C9R1CB8NNN	General	9.1pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C9R1DB8NNN	General	9.1pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10CR56B8NNN	General	0.56pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10CR75CB8NNN	General	0.75pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10E224KA84PN	Automotive	220nF	+/-10%	X8L	25Vdc	0603inch_1608mm	1mm	Normal(Epoxy)
CL10F103ZB8NNN	General	10nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZA8NFN	General	100nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZA8NNN	General	100nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZB8NNN	General	100nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZO8NNN	General	100nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10F154ZA8NNN	General	150nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F223ZB8NNN	General	22nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F225ZP8NNN	General	2.2uF	-20/+80%	Y5V	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10F225ZQ8NNN	General	2.2uF	-20/+80%	Y5V	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10F333ZB8NNN	General	33nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F334ZA8NNN	General	330nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F334ZO8NNN	General	330nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10F474ZA8NNN	General	470nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F474ZO8NNN	General	470nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10F683ZB8NNN	General	68nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10G681JB81PN	Automotive	680pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10G681JC81PN	Automotive	680pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106KR8NNN	General	10uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106MO8NRR	General	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Normal
CL10X106MP8NFR	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Normal
CL10X106MP8NRR	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Normal
CL10X106MP8NRW	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Normal
CL10X106MQ8NNN	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106MQ8NNW	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106MR8NNN	General	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10X225KP8NNN	General	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10X226MQ8QRW	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10X226MR8NUN	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal
CL10X226MR8NUW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal
CL10X226MR8QRW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal

CL10X475KO8NFQ	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10X475KO8NQN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10X475KO8NRN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Normal
CL10X475KO8NRW	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Normal
CL10X475KQ8NNN	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X475KQ8NRW	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10X475MQ8NNN	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X475MQ8NQW	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10X475MQ8NRW	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10X476MR8NRW	General	47uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal
CL10X476MS8NRW	General	47uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	1mm	Normal
CL10Y104MR5NJN	General	100nF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Y105MR5NJN	General	1uF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Y106MQ8NFR	General	10uF	+/-20%	X7S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10Y225KP84PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10Y225MR5NJN	General	2.2uF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Z475MQ9VPN	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Normal(Epoxy)
CL19A226MR7NWN	General	22uF	+/-20%	X5R	4Vdc	0503inch_1209 mm	0.8mm	3T(Low ESL)
CL21A105KACLNN	General	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A105KBCLNN	General	1uF	+/-10%	X5R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21A105KOCLNN	General	1uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A105KPFNNN	General	1uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KACLRN	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KAENRB	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.2mm	T-HMC(Low Acoustic)
CL21A106KAFN3N	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KAYN3N	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106KAYNFN	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106KAYNNN	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106KBQNN	General	10uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106KOCLRN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KOFNNN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KOFNNW	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KOQNFN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106KOQNNN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106KOQNNW	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106KPCLQN	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KPCLRN	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KPFNNN	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KPFNNW	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KQCLNN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KQCLRN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KQFNFN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KQFNNN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KQFNNW	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MAYNNN	General	10uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106MOFNNN	General	10uF	+/-20%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MPFNNN	General	10uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MPFNNW	General	10uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MPQNNW	General	10uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106MQFNNN	General	10uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MQQNNN	General	10uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A225KACLNN	General	2.2uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A225KAFNNN	General	2.2uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KAFNNW	General	2.2uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KB9LNN	General	2.2uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1mm	Normal
CL21A225KBFNNN	General	2.2uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KBQNNN	General	2.2uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.4mm	Normal
CL21A225KOCLNN	General	2.2uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A225KOFNNN	General	2.2uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KPCLNN	General	2.2uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A225KPFNNN	General	2.2uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KPFNNW	General	2.2uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A226KOQNNN	General	22uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226KPCLRN	General	22uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226KQCLRN	General	22uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal

CL21A226KQQNFN	General	22uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226KQQNNN	General	22uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MAYNNN	General	22uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MAYNNW	General	22uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MOCLRN	General	22uF	+/-20%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226MOQNNN	General	22uF	+/-20%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MOYNNW	General	22uF	+/-20%	X5R	16Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MPCLRN	General	22uF	+/-20%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226MPQNNN	General	22uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MPYNNW	General	22uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MQCLRN	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226MQQN3N	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MQQNNN	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MQQNNW	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A335KPFNNN	General	3.3uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KACLRN	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KAFNNW	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KAQN3N	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KAQNFN	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KAQNNN	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KAQNNW	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KBQNNN	General	4.7uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KLCLQN	General	4.7uF	+/-10%	X5R	35Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KOCLRN	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KOFNNN	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KPCLNN	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KPFNNN	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KPFNNW	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KQCLNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KQFNNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KQFNNW	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MAFNNN	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MAQNNN	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475MPFNNN	General	4.7uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MQFNNN	General	4.7uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MQFNNW	General	4.7uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A476MQ7LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.8mm	Normal
CL21A476MQ8LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.9mm	Normal
CL21A476MQ9LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1mm	Normal
CL21A476MQCLRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A476MQYN3N	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21A476MQYNNN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21A476MQYNNW	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21A476MRYNNN	General	47uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21A476MRYNNW	General	47uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21B102JBANFN	General	1nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102JCANNN	General	1nF	+/-5%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102JDCNNN	General	1nF	+/-5%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KAANFN	General	1nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBANFN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBANNN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBANNW	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBCNNN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KCANNN	General	1nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KDCNFN	General	1nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KECSFN	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KECSNN	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KECSW6	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Soft Termination(3mm)
CL21B103JBCNNN	General	10nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KAANNN	General	10nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBANFN	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBANNN	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBANNW	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBCNNN	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KCANFN	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal

CL21B103KCANNN	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KCANNW	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KDCNFN	General	10nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KDCNNN	General	10nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KEFNFN	General	10nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Normal
CL21B103MBANNN	General	10nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B104JBCNFN	General	100nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KACNFN	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KACNNN	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KACNNW	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KAFNFN	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B104KBCNFN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBCNNN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBCNNW	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBCSFN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBFNFN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B104KBFWPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B104KBFWPN	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B104KBFXPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe/Soft Termination(5mm)
CL21B104KCFNFN	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B104KCFSFN	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B104KCFWPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B104KCFWPN	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B104KCFXPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe/Soft Termination(5mm)
CL21B104KOANNN	General	100nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.75mm	Normal
CL21B104MACNNN	General	100nF	+/-20%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104MBFNFN	General	100nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KAFN3N	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KAFNFN	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KAFNFN	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KAFVPJ	Automotive	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B105KAFVPN	Automotive	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B105KBFNFN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KBFNFN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KBFSFN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KBFPVJ	Automotive	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B105KBFPVFN	Automotive	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B105KBFZ4J	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Soft Termination(3mm)
CL21B105KBFZFN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KLFVFN	Automotive	1uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B105KOFNFN	General	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KOFNFN	General	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KOFNFN	General	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KOFVPJ	Automotive	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B105KOFVFN	Automotive	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B105KPFNFN	General	1uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105KPFVFN	Automotive	1uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B105KPFVFN	Automotive	1uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B105MAFNFN	General	1uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105MBFNFN	General	1uF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105MOFNFN	General	1uF	+/-20%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B105MPFNFN	General	1uF	+/-20%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B106KOQNFN	General	10uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21B106KOQNNN	General	10uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21B106KPQNFN	General	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21B106KPQNNN	General	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21B106KPQNNW	General	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21B106KQQNFN	General	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21B106KQQNNN	General	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21B106KQQNNW	General	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21B122KBANNN	General	1.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B124JACNNN	General	120nF	+/-5%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B124KACNNN	General	120nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B124KBFNFN	General	120nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B152KCANNN	General	1.5nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal

CL21B153JBANNN	General	15nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B153KBANFN	General	15nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B153KBANNW	General	15nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B153KCCNNN	General	15nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21B154KBFNFN	General	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B154KBFNNN	General	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B155KAFNFN	General	1.5uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B181KBANNN	General	180pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B183KBANNN	General	18nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B201KBANNN	General	200pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B202KBANNN	General	2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B203KBANNN	General	20nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B221KBANFN	General	220pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B221KCANFN	General	220pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B221KDCNFN	General	220pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B222JBANNN	General	2.2nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KBANFN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KBANNN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KBCNNN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B222KCANFN	General	2.2nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KDCNFN	General	2.2nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B223JBANNN	General	22nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B223KBANNN	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B223KBANNW	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B223KBFWPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B223KCFNNN	General	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B223KCFWPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B223KCFWPN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B224JAFNNN	General	220nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KAFNFN	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KAFNNN	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KAFVPJ	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B224KAFVPN	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B224KBFNFN	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KBFNNN	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KBFVPJ	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B224KBFVPN	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B224KCFSFN	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KOFNNN	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KOFVPN	Automotive	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225KAFNFN	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KAFNNN	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KAFNNW	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KAFVPN	Automotive	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225KAFZ4J	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Soft Termination(3mm)
CL21B225KBYNNW	General	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Normal
CL21B225KOFNFN	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KOFNNN	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KOFNNW	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KOFVPJ	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B225KOFVPN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225KOQVPN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B225KPFNNN	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KPFNNW	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KPFVPN	Automotive	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225MAFNNN	General	2.2uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B271KCANNN	General	270pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B272KBANNN	General	2.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B273KBANNN	General	27nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B301KBANNN	General	300pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B331JBANNN	General	330pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B332JBANNN	General	3.3nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B334KBFNFN	General	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B334KBFNNN	General	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B334KBFVPN	Automotive	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)

CL21B334KOCNNN	General	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21B334MBFNNN	General	330nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B335KAFNFN	General	3.3uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B335KOQVPN	Automotive	3.3uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B335KPFNNN	General	3.3uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B392KBANNN	General	3.9nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B393KBANNN	General	39nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B471JBANNN	General	470pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B471KBANFN	General	470pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B471KDCNFN	General	470pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B472KBANFN	General	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B472KBANNN	General	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B472KCANFN	General	4.7nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B472KDCNNN	General	4.7nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B473KBCNFN	General	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B473KBCNNN	General	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B473KCFNNN	General	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B473MBCNNN	General	47nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B474JAFNNN	General	470nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFNFN	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFNNN	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFFSN	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFVFN	Automotive	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B474KBFNFN	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KBFNNN	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KBFVPJ	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B474KBFVFN	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B474KOFNFN	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KOFNNN	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KOFVFN	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B474MAFNNN	General	470nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFNFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFNNN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFZF6	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFZFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFNFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFNNN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFNNW	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFZFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOQVPJ	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination(5mm)
CL21B475KOQVPN	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B475KOQZW6	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Soft Termination(3mm)
CL21B475KPFNFN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KPFNNN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KPQVPN	Automotive	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B475KQQVPN	Automotive	4.7uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B475MAFNNN	General	4.7uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B511KBANNN	General	510pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B562JBANNN	General	5.6nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B562KBANFN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B562KBANNN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B563KBCNNN	General	56nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B681KBANFN	General	680pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B682KBANFN	General	6.8nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B683JBCNNN	General	68nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B683KBCNFN	General	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B684JOFNNN	General	680nF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B684KBFNNN	General	680nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B684KBFVFN	Automotive	680nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B684KOFNFN	General	680nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B684KOFVFN	Automotive	680nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B684KPFNNN	General	680nF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B822KBANNN	General	8.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B823KBFNNN	General	82nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C010BBANNN	General	1pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal

CL21C030BBANNN	General	3pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C030CBANNN	General	3pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C050CBANNN	General	5pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C060CBANNN	General	6pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C060DBANNN	General	6pF	+/-0.5pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C070CBANNN	General	7pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C080CBANNN	General	8pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C080DBANNN	General	8pF	+/-0.5pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C090CBANNN	General	9pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C090DBANNN	General	9pF	+/-0.5pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C100CBANNN	General	10pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C100JBANFN	General	10pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C100JECNNW	General	10pF	+/-5%	C0G	250Vdc	0805inch_2012mm	0.95mm	Normal
CL21C101GBANNN	General	100pF	+/-2%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JBANFN	General	100pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JBANNN	General	100pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JBANNNW	General	100pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JCANNN	General	100pF	+/-5%	C0G	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JDCNFN	General	100pF	+/-5%	C0G	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C101JDCNNN	General	100pF	+/-5%	C0G	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C101KBANFN	General	100pF	+/-10%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C102GBCNNN	General	1nF	+/-2%	C0G	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C102JBCNFN	General	1nF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C102JBCNNW	General	1nF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C102JBF1PN	Automotive	1nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JCF1PN	Automotive	1nF	+/-5%	C0G	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JCFNNN	General	1nF	+/-5%	C0G	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JCFNNW	General	1nF	+/-5%	C0G	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JDFNFN	General	1nF	+/-5%	C0G	200Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JEFNFN	General	1nF	+/-5%	C0G	250Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JEFNNN	General	1nF	+/-5%	C0G	250Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBF1PN	Automotive	10nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBFNFN	General	10nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBFNNN	General	10nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBFNNW	General	10nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C120FBANNN	General	12pF	+/-1%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C122JBFNNN	General	1.2nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C130JBANNN	General	13pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C150GBANNN	General	15pF	+/-2%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C151FBANNN	General	150pF	+/-1%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C151JBANFN	General	150pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C151JBANNN	General	150pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C152JBFNFN	General	1.5nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C181JBANNN	General	180pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C182JBF1PN	Automotive	1.8nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C182JBFNNN	General	1.8nF	+/-5%	C0G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C1R2BBANNN	General	1.2pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C1R2CBANNN	General	1.2pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C1R5BBANNN	General	1.5pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C1R5CBANNN	General	1.5pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C1R8BBANNN	General	1.8pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C1R8CBANNN	General	1.8pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C200JBANNN	General	20pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C201JBANNN	General	200pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220FBANNN	General	22pF	+/-1%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220GBANNN	General	22pF	+/-2%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220JBANFN	General	22pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220JBANNN	General	22pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221FBANNN	General	220pF	+/-1%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221GBANNN	General	220pF	+/-2%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JBANFN	General	220pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JBANNN	General	220pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JBANNNW	General	220pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JDCNFN	General	220pF	+/-5%	C0G	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C221JDCNNN	General	220pF	+/-5%	C0G	200Vdc	0805inch_2012mm	0.95mm	Normal

CL21C221JDCNNW	General	220pF	+/-5%	COG	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C222GBFNNN	General	2.2nF	+/-2%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBF1PN	Automotive	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBFNFN	General	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBFNNN	General	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBFNNW	General	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JCFNNN	General	2.2nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C270JCANNN	General	27pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C271GBANNN	General	270pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C271JBANNN	General	270pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C272JBFNNN	General	2.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C272JBFNNW	General	2.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C2R2BBANNN	General	2.2pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C2R4CBANNN	General	2.4pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C2R5CBANNN	General	2.5pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C2R7BBANNN	General	2.7pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C2R7CBANNN	General	2.7pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C301JBANNN	General	300pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C330JBANFN	General	33pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C330JBANNW	General	33pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C330KBANNN	General	33pF	+/-10%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331FBANNN	General	330pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331GBANNN	General	330pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331JBANFN	General	330pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331JCANNN	General	330pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331JCANNW	General	330pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C360JBANNN	General	36pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C361JBANNN	General	360pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C390JBANNN	General	39pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C391GBANNN	General	390pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C391JBANNN	General	390pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C392JAANNN	General	3.9nF	+/-5%	COG	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21C3R9CBANNN	General	3.9pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C430JBANNN	General	43pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C431JBANNN	General	430pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470FBANNN	General	47pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470JBANFN	General	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470JBANNN	General	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470JCANNN	General	47pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471FBANNN	General	470pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471GBANNN	General	470pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471JBANFN	General	470pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471JCCNFN	General	470pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21C471JCCNNW	General	470pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21C472JBFNFN	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C472JBFNNN	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C472JBFNNW	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C4R7BBANNN	General	4.7pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C510JBANNN	General	51pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C562JBFNNN	General	5.6nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C5R6BBANNN	General	5.6pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C5R6CBANNN	General	5.6pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C5R6DBANNN	General	5.6pF	+/-0.5pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C620JBANNN	General	62pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C621JBCNNN	General	620pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C680FBANNN	General	68pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C680GBANNN	General	68pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C680JCANNN	General	68pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C681JBANNN	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C681JBCNFN	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C681JBCNNW	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C681JCCNNN	General	680pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21C682JBF1PN	Automotive	6.8nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C6R8CBANNN	General	6.8pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C6R8DBANNN	General	6.8pF	+/-0.5pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal

CL21C750JBANNN	General	75pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C820GBANNN	General	82pF	+/-2%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C8R2DBANNN	General	8.2pF	+/-0.5pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C910JBANNN	General	91pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C911JBCNNN	General	910pF	+/-5%	C0G	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21CR47BBANNN	General	0.47pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21CR47CBANNN	General	0.47pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21CR68BBANNN	General	0.68pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21E474KAF4PN	Automotive	470nF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21F104MBCNNN	General	100nF	+/-20%	Y5V	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21F104ZAANNN	General	100nF	-20/+80%	Y5V	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21F104ZBANNN	General	100nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21F105ZAFNNN	General	1uF	-20/+80%	Y5V	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21F105ZBFNNN	General	1uF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21F106ZPFNNN	General	10uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21F106ZQFNNN	General	10uF	-20/+80%	Y5V	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21F224ZBCNNN	General	220nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21F225ZOFNNN	General	2.2uF	-20/+80%	Y5V	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21F225ZPFNNN	General	2.2uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21F335ZPFNNN	General	3.3uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21F473ZBANNN	General	47nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21F475ZPFNNN	General	4.7uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21G152JCC1PN	Automotive	1.5nF	+/-5%	X8G	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21G682JBF1PN	Automotive	6.8nF	+/-5%	X8G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21X106KAYNNN	General	10uF	+/-10%	X6S	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21X106KOQNNN	General	10uF	+/-10%	X6S	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106KOQNNW	General	10uF	+/-10%	X6S	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106KPCLRN	General	10uF	+/-10%	X6S	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21X106KPYNNN	General	10uF	+/-10%	X6S	10Vdc	0805inch_2012mm	1.45mm	Normal
CL21X106KQNNN	General	10uF	+/-10%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106KQNNW	General	10uF	+/-10%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106MOQNNN	General	10uF	+/-20%	X6S	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106MRFNNN	General	10uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.35mm	Normal
CL21X225KOFNNN	General	2.2uF	+/-10%	X6S	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21X226MOYNNW	General	22uF	+/-20%	X6S	16Vdc	0805inch_2012mm	1.45mm	Normal
CL21X226MPYNNW	General	22uF	+/-20%	X6S	10Vdc	0805inch_2012mm	1.45mm	Normal
CL21X226MQQNFN	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MQQNNN	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MQQNNW	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MQYNNW	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21X226MRQNFN	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MRQNNN	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MRQNNW	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MRYNNW	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21X475KAQNNN	General	4.7uF	+/-10%	X6S	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21X476MRYNNN	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21X476MRYNNW	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21Y105KCFVPJ	Automotive	1uF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.35mm	Soft Termination(5mm)
CL21Y106KOQ4PN	Automotive	10uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21Y106KPQVPN	Automotive	10uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21Y106KQQVPN	Automotive	10uF	+/-10%	X7S	6.3Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21Y224KCFSW6	General	220nF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.35mm	Soft Termination(3mm)
CL21Y225KBYVPN	Automotive	2.2uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.45mm	Normal(Epoxy)
CL21Y475KABVPN	Automotive	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.45mm	Normal(Epoxy)
CL21Y475KAFNNN	General	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21Y475KBBVPN	Automotive	4.7uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.45mm	Normal(Epoxy)
CL21Z226MQQNNN	General	22uF	+/-20%	X7T	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL31A105KB9LNN	General	1uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Normal
CL31A106KACLNN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	0.95mm	Normal
CL31A106KAHNFN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KAHNNN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KAHNNW	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KBHNNN	General	10uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KOCLNN	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A106KOHNNN	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal

CL31A106KPHNNN	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KPPLNN	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.25mm	Normal
CL31A106KQHNNN	General	10uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MAHNNN	General	10uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MAHNNW	General	10uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MBHNNN	General	10uF	+/-20%	X5R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MOHNNN	General	10uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MQHNNN	General	10uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A107MQHNNN	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A107MQKNNW	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.9mm	Normal
CL31A225KB9LNN	General	2.2uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Normal
CL31A225KC9LNN	General	2.2uF	+/-10%	X5R	100Vdc	1206inch_3216mm	1mm	Normal
CL31A225KOHNNN	General	2.2uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KAHNNN	General	22uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KAHNNW	General	22uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KOCLFN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226KOCLNN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226KOHNFN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KOHNNN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KOHNNW	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KPHNNN	General	22uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KPHNNW	General	22uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KQHNNN	General	22uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KQHNNW	General	22uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MAHNNN	General	22uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MOCLFN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226MOCLNN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226MOHNNN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MOHNNW	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MPHNNN	General	22uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MPHNNW	General	22uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MQHNNN	General	22uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A335KAHNNN	General	3.3uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A335KOHNNN	General	3.3uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KACLNN	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	0.95mm	Normal
CL31A475KAHNNN	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KAHNNW	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KB9LNN	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Normal
CL31A475KBHNNN	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KL9LNN	General	4.7uF	+/-10%	X5R	35Vdc	1206inch_3216mm	1mm	Normal
CL31A475KOCLNN	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A475KOHNNN	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475MOHNNN	General	4.7uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476KQHNNN	General	47uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MPHNFN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MPHNNN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MPHNNW	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MQHNNN	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MQHNNW	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B102KBCNNN	General	1nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B102KDCNNN	General	1nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Normal
CL31B102KGFNFN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KGFNNN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KHFNFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KHFSFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KHFSW6	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination(3mm)
CL31B102KIFNFN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KIFNNN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KJHNNN	General	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31B103KBCNFN	General	10nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B103KCCNFN	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B103KDCNFN	General	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Normal
CL31B103KGFNFN	General	10nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFNFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFNNN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal

CL31B103KHFFNNW	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFSFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFSW6	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination(3mm)
CL31B103MBCNNN	General	10nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104JCFNNN	General	100nF	+/-5%	X7R	100Vdc	1206inch_3216mm	1.4mm	Normal
CL31B104KBCNFN	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104KBCNNN	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104KBCNNW	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104KCFNFN	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Normal
CL31B104KCFNNN	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Normal
CL31B104KCFZW6	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Soft Termination(3mm)
CL31B104KDHNFN	General	100nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHNFN	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHNNN	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHSFN	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHSW6	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31B104MBCNNN	General	100nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B105JAHNNN	General	1uF	+/-5%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAHNFN	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAHNNN	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAHNNW	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAPLNN	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.25mm	Normal
CL31B105KBHNFN	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHNNN	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHNNW	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHSNN	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHVPJ	Automotive	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B105KBHWPN	Automotive	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B105KCHNFN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHNNN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHSFN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHSNN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHVPN	Automotive	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B105KOFNFN	General	1uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B105KOFNNN	General	1uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B105KOFNNW	General	1uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B105MAHNNN	General	1uF	+/-20%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105MAHNNW	General	1uF	+/-20%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105MOFNNN	General	1uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B106KAHNFN	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KAHNNN	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KAHSFN	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KAHVPJ	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B106KAHVPN	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B106KAKVPJ	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B106KAKVPN	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)
CL31B106KBHNFN	General	10uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KBHNNN	General	10uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KLHNFN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KLHNNN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KLHSFN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOHNFN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOHNNN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOHVPJ	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B106KOHVPN	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B106KOHZFN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KPHNFN	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KPHNNN	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KPHVPN	Automotive	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B106KQHNFN	General	10uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KQHNNN	General	10uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106MOHNNN	General	10uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B152KBCNNN	General	1.5nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B152KGFNFN	General	1.5nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B152KGFNNN	General	1.5nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal

CL31B152KHFNFN	General	1.5nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B154KBCNNN	General	150nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B155KBHVPN	Automotive	1.5uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B155KOFNNN	General	1.5uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B221KGFNNN	General	220pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KCCNNN	General	2.2nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B222KGFNFN	General	2.2nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KHFNFN	General	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KHFSFN	General	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KIFNFN	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KIFNNN	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B223KCCNFN	General	22nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B223KCCNNN	General	22nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B223KGHNNN	General	22nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31B223KHHNFN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B223KHHNNN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B223KHHSFN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B224KACNFN	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Normal
CL31B224KACNNN	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Normal
CL31B224KBFNNN	General	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B225KAHNFN	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KAHNNN	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KAHNNW	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KAHVPN	Automotive	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B225KBHNFN	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KBHNNN	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KBHNNW	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KBHVPJ	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B225KBHVPN	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B225KCHSFN	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KCHSNN	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KCHZNW	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHNFN	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHNNN	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHNNW	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHVPN	Automotive	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B225MOHNNN	General	2.2uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KPHNFN	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KPHNNN	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KPHNNW	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KQHNNN	General	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KQHNNW	General	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226MPHNNN	General	22uF	+/-20%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B331KBCNNN	General	330pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B331KHFNFN	General	330pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B332KBCNNN	General	3.3nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B332KCCNNN	General	3.3nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B332KGFNFN	General	3.3nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B332KHFSFN	General	3.3nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B333JBCNNN	General	33nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B333KCCNNN	General	33nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B333KEHNNN	General	33nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B333KGHNFN	General	33nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31B333KHHNFN	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B333KHHSFN	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B334JBFNNN	General	330nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KACNNN	General	330nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Normal
CL31B334KBFNFN	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KBFNNN	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KBFNNW	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KBHWPJ	Automotive	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B335KAHVPN	Automotive	3.3uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B335KOHNFN	General	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B335KOHNNN	General	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B471KDCNNN	General	470pF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Normal

CL31B471KGFNNN	General	470pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B471KHFNNN	General	470pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KGFNFN	General	4.7nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KHFNFN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KHFNNN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KHFSFN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B473JBCNNN	General	47nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B473KBCNNN	General	47nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B473KEHNNN	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B473KEHSFN	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHNFN	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHNNN	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHNNW	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHWPN	Automotive	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B474KCHSFN	General	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KCHWPN	Automotive	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B474KOCNNN	General	470nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Normal
CL31B474MBHNNN	General	470nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KAHNFN	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KAHNNN	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KAHVPJ	Automotive	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KAHVPN	Automotive	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B475KAHZW6	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31B475KBHN3N	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KBHNFN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KBHNNN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KBHVPJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KBHVPN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B475KBHZFN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KOHNFN	General	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KOHNNN	General	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KOHVPJ	Automotive	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KOHVPN	Automotive	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B475KPHNFN	General	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KPHNNN	General	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KPHVPJ	Automotive	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KPHVPN	Automotive	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B561KBCNNN	General	560pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B681KBCNNN	General	680pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B681KGFNNN	General	680pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B681KHFNNN	General	680pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B681KIFNNN	General	680pF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B682KGFNNN	General	6.8nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B682KHFNFN	General	6.8nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B684KAHNNN	General	680nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B684KBHWPN	Automotive	680nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B684KOCNNN	General	680nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Normal
CL31B685KOHVPN	Automotive	6.8uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B822KBCNNN	General	8.2nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31C010CBCNNN	General	1pF	+/-0.25pF	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C100DBCNNN	General	10pF	+/-0.5pF	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C100JBCNNN	General	10pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C100JGFNNN	General	10pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C100JGFNNW	General	10pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C100JHFNNN	General	10pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C100JIFNNN	General	10pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101FBCNNN	General	100pF	+/-1%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C101JBCNFN	General	100pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C101JCCNFN	General	100pF	+/-5%	COG	100Vdc	1206inch_3216mm	1mm	Normal
CL31C101JGFNFN	General	100pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JGFNNN	General	100pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JHFNFN	General	100pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JHFNNN	General	100pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JIFNFN	General	100pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JIFNNN	General	100pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal

CL31C101JJHNNN	General	100pF	+/-5%	COG	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C101KBCNNN	General	100pF	+/-10%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C101KGFNNN	General	100pF	+/-10%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C102FBCNNN	General	1nF	+/-1%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C102JDFNNN	General	1nF	+/-5%	COG	200Vdc	1206inch_3216mm	1.4mm	Normal
CL31C102JGHNFN	General	1nF	+/-5%	COG	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31C102JHHNFN	General	1nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C102JHHNNN	General	1nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C102JHMLNN	General	1nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.3mm	Normal
CL31C102KCCNNW	General	1nF	+/-10%	COG	100Vdc	1206inch_3216mm	1mm	Normal
CL31C103GAFNNW	General	10nF	+/-2%	COG	25Vdc	1206inch_3216mm	1.4mm	Normal
CL31C103JAFNNN	General	10nF	+/-5%	COG	25Vdc	1206inch_3216mm	1.4mm	Normal
CL31C120JBCNNN	General	12pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C121JBCNNN	General	120pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C122JBCNNN	General	1.2nF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C122JHHNNN	General	1.2nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C150JBCNNN	General	15pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C150JHFNNN	General	15pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C150JJHNNN	General	15pF	+/-5%	COG	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C151JGFNNN	General	150pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C151JHFNFN	General	150pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C151JHFNNN	General	150pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C151JIFNNN	General	150pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C152GBCCNNW	General	1.5nF	+/-2%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C152JBCNNN	General	1.5nF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C152JCCNNN	General	1.5nF	+/-5%	COG	100Vdc	1206inch_3216mm	1mm	Normal
CL31C152JHHNFN	General	1.5nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C180JBCNNN	General	18pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C181JBCNNN	General	180pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C181JIHNNN	General	180pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C200JBCNNN	General	20pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C220JBCNNN	General	22pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C220JCCNNN	General	22pF	+/-5%	COG	100Vdc	1206inch_3216mm	1mm	Normal
CL31C220JHFNFN	General	22pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C220JHFNNC	General	22pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C220JHFNNN	General	22pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C220JIFNFN	General	22pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C220JIFNNN	General	22pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JBCNFN	General	220pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C221JBCNNN	General	220pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C221JCCNNN	General	220pF	+/-5%	COG	100Vdc	1206inch_3216mm	1mm	Normal
CL31C221JGFNFN	General	220pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JGFNNN	General	220pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JHFNFN	General	220pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JHFNNN	General	220pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JHFNFW	General	220pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JIHNFN	General	220pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C221JIHNNC	General	220pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C221JIHNNN	General	220pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C222JBCNNN	General	2.2nF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C222JCCNNN	General	2.2nF	+/-5%	COG	100Vdc	1206inch_3216mm	1mm	Normal
CL31C222JHHNFN	General	2.2nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C222JHHNNN	General	2.2nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C270FBCNNN	General	27pF	+/-1%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C270JBCNNN	General	27pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C270JHFNNN	General	27pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C271JBCNNN	General	270pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C271JGFNNN	General	270pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C271JIHNNN	General	270pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C273JBHNNW	General	27nF	+/-5%	COG	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31C2R2CBCNNN	General	2.2pF	+/-0.25pF	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C300JBCNNN	General	30pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C330JHFNNN	General	33pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C330JIFNFN	General	33pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C330JIFNNN	General	33pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal

CL31C331JBCNNN	General	330pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C331JHFNFN	General	330pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C331JHFNNN	General	330pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C331JHNNNN	General	330pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C332FBFNNN	General	3.3nF	+/-1%	C0G	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31C332JBFNNN	General	3.3nF	+/-5%	C0G	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31C332JBFNNW	General	3.3nF	+/-5%	C0G	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31C332JHHNFN	General	3.3nF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C332JHHNNN	General	3.3nF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C333JBHNNW	General	33nF	+/-5%	C0G	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31C390JGFNNW	General	39pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C391JBCNNN	General	390pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C391JHFNNN	General	390pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C3R9BBCNNN	General	3.9pF	+/-0.1pF	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C470JHFNFN	General	47pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JHFNNN	General	47pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JIFNFN	General	47pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JIFNNN	General	47pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JHNNNN	General	47pF	+/-5%	C0G	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C471JGFNNN	General	470pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C471JHFNFN	General	470pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C471JHFNNN	General	470pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C471JHNFN	General	470pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C471JHNNC	General	470pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C471JHNNNN	General	470pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C473JBHNNN	General	47nF	+/-5%	C0G	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31C4R7CBCNNN	General	4.7pF	+/-0.25pF	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C560JBCNNN	General	56pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C561JBCNNN	General	560pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C680JHFNNN	General	68pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C680JIFNFN	General	68pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C680JIFNNN	General	68pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C681JBCNNN	General	680pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C681JGHNFN	General	680pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31C681JHHNFN	General	680pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C681JHHNNN	General	680pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C6R8CBCNNN	General	6.8pF	+/-0.25pF	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C820JBCNNN	General	82pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C821JBCNNN	General	820pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C821JHHNNN	General	820pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31E225KAH4PN	Automotive	2.2uF	+/-10%	X8L	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31F105ZACNNN	General	1uF	-20/+80%	Y5V	25Vdc	1206inch_3216mm	1mm	Normal
CL31F105ZBFNNN	General	1uF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31F105ZOCNNN	General	1uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1mm	Normal
CL31F106ZPFNNN	General	10uF	-20/+80%	Y5V	10Vdc	1206inch_3216mm	1.4mm	Normal
CL31F106ZPHNNN	General	10uF	-20/+80%	Y5V	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31F224ZBCNNN	General	220nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Normal
CL31F225ZOCNNN	General	2.2uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1mm	Normal
CL31F334ZBCNNN	General	330nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Normal
CL31F335ZOFNNN	General	3.3uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31F474ZBCNNN	General	470nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Normal
CL31F475ZOFNNN	General	4.7uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31X106KAHNNN	General	10uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31X107MRKNNW	General	100uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.9mm	Normal
CL31X226KAHN3N	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KAHNF3	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KOHN3N	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KOHNNN	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KPHN3N	General	22uF	+/-10%	X6S	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KQHNNN	General	22uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476KQHNNN	General	47uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MQHNFN	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MQHNNN	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MQHNNW	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MRHNNN	General	47uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.8mm	Normal

CL31Y106KBKVPJ	Automotive	10uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31Y106KBKVPN	Automotive	10uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)
CL31Y225KCHVPJ	Automotive	2.2uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.8mm	Soft Termination(5mm)
CL32A106KAJNNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106KATLNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	1.7mm	Normal
CL32A106KAULNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2mm	Normal
CL32A106KBJNNN	General	10uF	+/-10%	X5R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106KLULNN	General	10uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Normal
CL32A106KOCLNN	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	0.95mm	Normal
CL32A106KOJNNN	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106KPINNN	General	10uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.2mm	Normal
CL32A106MBJNNN	General	10uF	+/-20%	X5R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106MOJNNN	General	10uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A107MPVNNN	General	100uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.8mm	Normal
CL32A107MQVNNN	General	100uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32A107MQVNNW	General	100uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32A157MQVNNN	General	150uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32A226KAJNFN	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KAJNNN	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KAJNNW	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KOJNFN	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KOJNNN	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KOJNNW	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KPJNNN	General	22uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KQJNNN	General	22uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KQJNNW	General	22uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MAJNNN	General	22uF	+/-20%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MAJNNW	General	22uF	+/-20%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MOCLNN	General	22uF	+/-20%	X5R	16Vdc	1210inch_3225mm	0.95mm	Normal
CL32A226MOJNNN	General	22uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MPJNNN	General	22uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MPJNNW	General	22uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MQJNNN	General	22uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MQJNNW	General	22uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A475KLULNN	General	4.7uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Normal
CL32A476KOJNNN	General	47uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476KOJNNW	General	47uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476KPJNNN	General	47uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476KQJNNN	General	47uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476MOJNNN	General	47uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476MOJNNW	General	47uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476MQJNNN	General	47uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32B103KGFNNN	General	10nF	+/-10%	X7R	500Vdc	1210inch_3225mm	1.45mm	Normal
CL32B104KEJNNN	General	100nF	+/-10%	X7R	250Vdc	1210inch_3225mm	2.7mm	Normal
CL32B105KBHNNN	General	1uF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.8mm	Normal
CL32B105KCJNNN	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B105KCJSNN	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B105MBHNNN	General	1uF	+/-20%	X7R	50Vdc	1210inch_3225mm	1.8mm	Normal
CL32B106KAJ4PN	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B106KAJNFN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KAJNNN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KAJVPJ	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B106KAJVPN	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B106KAULNN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Normal
CL32B106KAULNW	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Normal
CL32B106KBJNFN	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KBJNNN	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KBJZW6	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Soft Termination(3mm)
CL32B106KLJNNN	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KLULNN	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2mm	Normal
CL32B106KOJNNN	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KOLNN	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2mm	Normal
CL32B106KPINNN	General	10uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.2mm	Normal
CL32B154KBFNNN	General	150nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Normal
CL32B223KIIZNW	General	22nF	+/-10%	X7R	1000Vdc	1210inch_3225mm	2.2mm	Normal

CL32B225KAINNN	General	2.2uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.2mm	Normal
CL32B225KBJNNN	General	2.2uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B225KCJSFN	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B225KCJSNN	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B225KCJVPJ	Automotive	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B225KCJZW6	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Soft Termination(3mm)
CL32B226KAJNFN	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KAJNNN	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KOJNFN	General	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KOJNNN	General	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KOJVPJ	Automotive	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B226KOJVPN	Automotive	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B226KPJNNN	General	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KPJVPN	Automotive	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B226MOJNNN	General	22uF	+/-20%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226MOJVPN	Automotive	22uF	+/-20%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B473KHINNWN	General	47nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2.2mm	Normal
CL32B474KBFNNN	General	470nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Normal
CL32B475KAJVPN	Automotive	4.7uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B475KBJNFN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B475KBJNNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B475KBJNNWN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B475KBJSW6	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Soft Termination(3mm)
CL32B475KBJVPJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B475KBJVPN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B475KBUYFN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2mm	Normal
CL32B475KBUYNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2mm	Normal
CL32B475KCIZNW	General	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.2mm	Normal
CL32B475KCVZW6	General	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.8mm	Soft Termination(3mm)
CL32B475KOINNN	General	4.7uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.2mm	Normal
CL32B476KPJNNN	General	47uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32B476MPJNNN	General	47uF	+/-20%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32B476MQJNNN	General	47uF	+/-20%	X7R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32B685KBJVPN	Automotive	6.8uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32C103FBNNN	General	10nF	+/-1%	C0G	50Vdc	1210inch_3225mm	1.45mm	Normal
CL32C113JBHNNN	General	11nF	+/-5%	C0G	50Vdc	1210inch_3225mm	1.8mm	Normal
CL32C473CJNNWN	General	47nF	+/-5%	C0G	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32F106ZAHNNN	General	10uF	-20/+80%	Y5V	25Vdc	1210inch_3225mm	1.8mm	Normal
CL32F106ZLHNNN	General	10uF	-20/+80%	Y5V	35Vdc	1210inch_3225mm	1.8mm	Normal
CL32F106ZOHNNN	General	10uF	-20/+80%	Y5V	16Vdc	1210inch_3225mm	1.8mm	Normal
CL32X107MQVNNN	General	100uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32X107MQVNNWN	General	100uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32X476KPJNNN	General	47uF	+/-10%	X6S	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32Y106KBJ4PN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32Y106KBJVPJ	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32Y107MQVN4N	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32Y107MQVNNWN	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32Y226KAVVPJ	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32Y226KAVVPN	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Normal(Epoxy)
CL32Y226KAVZWN	General	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Normal
CL32Y475KCIVPJ	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.7mm	Soft Termination(5mm)
CL32Y475KCIVPN	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Normal(Epoxy)
CL32Y475KCVZW6	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination(3mm)
CL32Y476MPVVPN	Automotive	47uF	+/-20%	X7S	10Vdc	1210inch_3225mm	2.8mm	Normal(Epoxy)
CL32Y476MQVVPJ	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination(5mm)
CL32Y476MQVVPN	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Normal(Epoxy)
CL32Y685KBJVPN	Automotive	6.8uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CLL5A224MRJHLC	General	220nF	+/-20%	X5R	4Vdc	0204inch_0510mm	0.1mm	Embedded
CLL5X105MR3NLN	General	1uF	+/-20%	X6S	4Vdc	0204inch_0510mm	0.35mm	Reverse(Low ESL)
CLL5Y104MQ3NLN	General	100nF	+/-20%	X7S	6.3Vdc	0204inch_0510mm	0.35mm	Reverse(Low ESL)
CLR5A105MQ2CNN	General	1uF	+/-20%	X5R	6.3Vdc	015008inch_05025mm	0.275mm	Normal