

Part name	Use for	Nominal Capacitance	Capacitance Tolerance	Temp. Characteristics	Rated Voltage	Size	Thickness
CL05B331KB5VPN	Automotive	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5VPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5VPN	Automotive	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5VPN	Automotive	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KB5VPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KO5VPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B223KB5VPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B104KO5VPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10B102KB85PN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B472KB8WPN	Automotive	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10B103KC85PN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B473KC8WPN	Automotive	47nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KB8WPN	Automotive	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB85PN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B154KO8VPN	Automotive	150nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KO8VPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KA8VPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KB8VPN	Automotive	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KA8VPN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KP8VPN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KO8VPN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL21B102KC6WPN	Automotive	1nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103KC6WPN	Automotive	10nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223KC6WPN	Automotive	22nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B104KCCWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KCFWPN	Automotive	100nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B334KBFVPN	Automotive	330nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KBFVPN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOF4PN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KLFVPN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KBFVPN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KOFVPN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KAFVPN	Automotive	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KPQVPN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KOQVPN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL31B474KBH5PN	Automotive	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KBH5PN	Automotive	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KAHVPN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHVPN	Automotive	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B226KOJVPN	Automotive	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJVPN	Automotive	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL05Y105KP6VPN	Automotive	1uF	+/-10%	X7S(-55~+125Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.20mm
CL32Y106KBJVPJ	Automotive	10uF	+/-10%	X7S(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.30mm
CL02A102KQ2NINN	General	1nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A102KP2NINN	General	1nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A222KQ2NINN	General	2.2nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A103KQ2NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A473KQ2NINN	General	47nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MR2NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	4Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104KQ2NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A104MQ2NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02A224MQ2NINN	General	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	01005inch_0402mm	0.20+/-0.02mm
CL03A472KA3NINN	General	4.7nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KP3NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KO3NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A103KA3NINN	General	10nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A153KQ3NINN	General	15nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A223KQ3NINN	General	22nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A473KP3NINN	General	47nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A473KQ3NINN	General	47nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KQ3NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104MQ3NINN	General	100nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KP3NINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KP3ZINN	General	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm

CL05A106MR5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MQ5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MQ5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05A106MP5NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.20mm
CL05A106MP6NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.60+/-0.20mm
CL05A106MP9NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.90+/-0.10mm
CL05A156MQ5Q6J	General	15uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.25mm
CL05A226MQ5QUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL10A104KA8NUN	General	100nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KA8NUN	General	220nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A224KB8NUN	General	220nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KA8NUN	General	470nF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KA8NUN	General	470nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A474KB8NUN	General	470nF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KP8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MP8NUN	General	1uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KO8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105MO8NUN	General	1uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KA5LNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A105KA8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KB8NUN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225MQ8NUN	General	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KP8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KO8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KA5LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A225K8NUN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A335KP8NUN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ5LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MQ5LNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475KQ8NUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MQ8NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP5LNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475MP5LNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.50+0.0/-0.1mm
CL10A475KP8NUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MP8NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KO8NUN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475MO8NUN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KA8NQN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A475MA8NQN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106KQ8NUN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQ8NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NUN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MP8NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MPNNHB	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.90+/-0.10mm
CL10A106KQ8NQN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MO8NQN	General	10uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106MA8NUN	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226KQ8NUN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MQ8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.60+/-0.25mm
CL10A226MP7LUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A226MP8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A226MP8NUN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.25mm
CL10A226MO7JZN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.70+/-0.10mm
CL10A476MR8NUN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10A476MR8NUN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A476MQ8QRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21A105KACLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A105KACLNN	General	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KACLNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A225KAFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A225KBFNNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A335KPFNNN	General	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPCLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KPFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KOFNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KACLNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A475KAQNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A475MAQNNN	General	4.7uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A475KLCQNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	35Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KQ7LQNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.70+/-0.10mm
CL21A106KQFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MQFNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPCLQNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm

CL21A106MPLCQN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KPFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MPFNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KOCRLN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KOFNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQOQNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KACLRLN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A106KAENRB	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.10+/-0.20mm
CL21A106KAYNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A226KQCLRN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MQCLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226KQOQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQOQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KPCRLN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226MPCRLN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A226KQOQNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MOCLRN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQOQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQOQNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAYNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A476MRYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A476MQ7LRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.7+/-0.10mm
CL21A476MQCLRN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21A476MQYNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31A225KC9LNN	General	2.2uF	+/-10%	X5R(-55~+85Cels.)	100Vdc	1206inch_3216mm	0.90+/-0.10mm
CL31A475KAHNNN	General	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MPHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106MAHNNN	General	10uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KPHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MPHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KOCCLNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226KAHNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226MAHNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476KQHNNN	General	47uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476MQHNNN	General	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A106KAULNN	General	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A226KOJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNNN	General	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MAJNNN	General	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNN	General	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A107MPVNNN	General	100uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.30mm
CL03X104KR3NNN	General	100nF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X224KQ3NNN	General	220nF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X224MQ3NNN	General	220nF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03X105MR3CSN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.05mm
CL03X105MR3NRN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0201inch_0603mm	0.30+/-0.09mm
CLL5X105MR3NLN	General	1uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0204inch_0510mm	0.30+/-0.05mm
CL05X105KQ5NNN	General	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X105ML5NRN	General	1uF	+/-20%	X6S(-55~+105Cels.)	35Vdc	0402inch_1005mm	0.50+/-0.15mm
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MR5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05X106MQ5NUN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10X106KR8NNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MR8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MQ8NNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MP8NRN	General	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X106MO8NRN	General	10uF	+/-20%	X6S(-55~+105Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X226MR8NUN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0603inch_1608mm	0.80+/-0.25mm
CL21X106KQOQNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X106KAYNNN	General	10uF	+/-10%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X106MAYNNN	General	10uF	+/-20%	X6S(-55~+105Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21X226MRQOQNNN	General	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X476MRYNNN	General	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31X226KOHNNN	General	22uF	+/-10%	X6S(-55~+105Cels.)	16Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31X476MRHNNN	General	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	1206inch_3216mm	1.60+/-0.20mm
CL02B101KP2NNN	General	100pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B221KP2NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B331KO2NNN	General	330pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B331MO2NNN	General	330pF	+/-20%	X7R(-55~+125Cels.)	16Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B681KP2NNN	General	680pF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL02B102KP2NNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	01005inch_0402mm	0.20+/-0.02mm
CL03B221KO3NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B221KA3NNN	General	220pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm

CL10B154K08N0NN	General	150nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224J08N0NN	General	220nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224K08N0NN	General	220nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B224KA8N0NN	General	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B334KP8N0NN	General	330nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KP8N0NN	General	470nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474K08N0NN	General	470nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B474KA8N0NN	General	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KQ8N0NN	General	1uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105MQ8N0NN	General	1uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KP8N0NN	General	1uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105K08N0NN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B105KA8N0NN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B225KP8N0NN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10B475KQ8NQN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10B475MQ8NQN	General	4.7uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10B106MQ8N0NN	General	10uF	+/-20%	X7R(-55~+125Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21B151KBANNN	General	150pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B471JBANNN	General	470pF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B471KBANNN	General	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B102KECSNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	250Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B152JBANNN	General	1.5nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B152KBANNN	General	1.5nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B202KBANNN	General	2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B222CANNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	100Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B272KBANNN	General	2.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B332JBANNN	General	3.3nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B332KBANNN	General	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B392KBANNN	General	3.9nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B472JBANNN	General	4.7nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B472KBANNN	General	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B682JBANNN	General	6.8nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B682KBANNN	General	6.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B822KBANNN	General	8.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103JBANNN	General	10nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103KBANNN	General	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B103MBANNN	General	10nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B153JBANNN	General	15nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B153KBANNN	General	15nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B183KBANNN	General	18nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223JBANNN	General	22nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B223KBANNN	General	22nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B273KBANNN	General	27nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B333JBANNN	General	33nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B333KBANNN	General	33nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B393KBANNN	General	39nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B563KBCN0NN	General	56nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B683KBCN0NN	General	68nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B683KBCN0NN	General	68nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KOANNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	0.65+/-0.10mm
CL21B104KACN0NN	General	100nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104MACN0NN	General	100nF	+/-20%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104JBCN0NN	General	100nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBCN0NN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104MBCN0NN	General	100nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B104KBFN0NN	General	100nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B104MBFN0NN	General	100nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B154KBFN0NN	General	150nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224JAFN0NN	General	220nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224KAFN0NN	General	220nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224MAFN0NN	General	220nF	+/-20%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B224KBFN0NN	General	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B334KOCN0NN	General	330nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	0.85+/-0.10mm
CL21B474JAFN0NN	General	470nF	+/-5%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KAFN0NN	General	470nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B474KBFN0NN	General	470nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B684JOFN0NN	General	680nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B684KOFN0NN	General	680nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KOFN0NN	General	1uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KAFN0NN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105KBFN0NN	General	1uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B105MBFN0NN	General	1uF	+/-20%	X7R(-55~+125Cels.)	50Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KPFN0NN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B225KAFN0NN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KPFN0NN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B475KAFN0NN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21B106KQ0NNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm

CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21B106KQNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL31B102KGFNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B102KJHNNN	General	1nF	+/-10%	X7R(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B102MJHNNN	General	1nF	+/-20%	X7R(-55~+125Cels.)	2000Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B222KGFNNN	General	2.2nF	+/-10%	X7R(-55~+125Cels.)	500Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B104KDHNNN	General	100nF	+/-10%	X7R(-55~+125Cels.)	200Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B224JBFNNN	General	220nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224KBFNNN	General	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224MBFNNN	General	220nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B105JAHNNN	General	1uF	+/-5%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105MAHNNN	General	1uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226MPHNNN	General	22uF	+/-20%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B105KJNNN	General	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KJNNN	General	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KJNNN	General	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KAULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KAJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KLULNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32B106KLJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	35Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KJNNN	General	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KJNNN	General	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNN	General	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476MPJNNN	General	47uF	+/-20%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm
CL01Y105MR5NLN	General	1uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0306inch_0816mm	0.50+0.05/-0.1mm
CL10Y225MR5NJJ	General	2.2uF	+/-20%	X7S(-55~+125Cels.)	4Vdc	0603inch_1608mm	0.50+0.05/-0.1mm
CL21Z226MQQNNN	General	22uF	+/-20%	X7T(-55~+125Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21F106ZQFNNN	General	10uF	-40%	Y5V(-30~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL03A104KQ3NNW	High_Reliability	100nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A104KP3NNW	High_Reliability	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224KQ3NNW	High_Reliability	220nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03A224MQ3NNW	High_Reliability	220nF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05A104KP5NNW	High_Reliability	100nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224KQ5NNW	High_Reliability	220nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A224KP5NNW	High_Reliability	220nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A334KQ5NNW	High_Reliability	330nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A334KP5NNW	High_Reliability	330nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KQ5NNW	High_Reliability	470nF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A474KP5NFN	High_Reliability	470nF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KQ5NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105MQ5NNW	High_Reliability	1uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A105KO5NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225KQ5NFN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A225MQ5NNW	High_Reliability	2.2uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05A475MQ5NQW	High_Reliability	4.7uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.10mm
CL05A106MQ5NUW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.20mm
CL10A474KA8NFN	High_Reliability	470nF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KP8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KO8NNW	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KA8NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A105KB8NFN	High_Reliability	1uF	+/-10%	X5R(-55~+85Cels.)	50Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KQ8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KP8NFN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KP8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KO8NFN	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A225KO8NNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A335KP8NFN	High_Reliability	3.3uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KQ8NNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KP8NFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KO8NFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KO8NNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A475KA8NQW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0603inch_1608mm	0.80+/-0.15mm
CL10A106KQ8NNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MQ8NNW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106KP8NNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10A106MP8NFN	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.10mm

CL10A226MQ8NRW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21A225KAFNNW	High_Reliability	2.2uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPFNFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KPFNNW	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A475KAQNFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KQFNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQFNFW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106MQFNFW	High_Reliability	10uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPFNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KPFNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	0805inch_2012mm	1.25+/-0.10mm
CL21A106KQNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KQNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A106KAYNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.20mm
CL21A226KQQNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MQQNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226KQQNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A226MAQNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	25Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21A476MQYNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	0805inch_2012mm	1.25+/-0.20mm
CL31A475KAHNFN	High_Reliability	4.7uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPHNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KPHNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNFN	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A106KAHNNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KQCLFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226MOCLNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1206inch_3216mm	0.85+/-0.10mm
CL31A226KAHNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A226KAHNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31A476MQHNNW	High_Reliability	47uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32A106KAULNW	High_Reliability	10uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	1.80+/-0.20mm
CL32A226KQJNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KQJNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNFN	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226MOJNNW	High_Reliability	22uF	+/-20%	X5R(-55~+85Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNFN	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A226KAJNNW	High_Reliability	22uF	+/-10%	X5R(-55~+85Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32A107MQVNNW	High_Reliability	100uF	+/-20%	X5R(-55~+85Cels.)	6.3Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32A107MPVNNW	High_Reliability	100uF	+/-20%	X5R(-55~+85Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.30mm
CL05X105KQ5NFN	High_Reliability	1uF	+/-10%	X6S(-55~+105Cels.)	6.3Vdc	0402inch_1005mm	0.50+/-0.05mm
CL10X106MQ8NNW	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	6.3Vdc	0603inch_1608mm	0.80+/-0.10mm
CL10X106MP8NFR	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL10X106MP8NRW	High_Reliability	10uF	+/-20%	X6S(-55~+105Cels.)	10Vdc	0603inch_1608mm	0.80+/-0.20mm
CL21X226MRQNFN	High_Reliability	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL21X226MRQNNW	High_Reliability	22uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	0805inch_2012mm	1.25+/-0.15mm
CL31X476MRHNNW	High_Reliability	47uF	+/-20%	X6S(-55~+105Cels.)	4Vdc	1206inch_3216mm	1.60+/-0.20mm
CL03B331KA3NNW	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B102KA3NNW	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0201inch_0603mm	0.30+/-0.03mm
CL03B103KP3NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	10Vdc	0201inch_0603mm	0.30+/-0.03mm
CL05B331KB5NFN	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B331KB5NNW	High_Reliability	330pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B471KB5NFN	High_Reliability	470pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B561KB5NNW	High_Reliability	560pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B681KB5NNW	High_Reliability	680pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B821KB5NNW	High_Reliability	820pF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102JB5NFN	High_Reliability	1nF	+/-5%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5NFN	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B102KB5NNW	High_Reliability	1nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B152KB5NNW	High_Reliability	1.5nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B182KB5NNW	High_Reliability	1.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5NFN	High_Reliability	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B222KB5NNW	High_Reliability	2.2nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5NFN	High_Reliability	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B332KB5NNW	High_Reliability	3.3nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B392KB5NNW	High_Reliability	3.9nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KA5NFN	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KA5NNW	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KB5NFN	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B472KB5NNW	High_Reliability	4.7nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B682KB5NNW	High_Reliability	6.8nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103JO5NNW	High_Reliability	10nF	+/-5%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KO5NFN	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KO5NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103MO5NNW	High_Reliability	10nF	+/-20%	X7R(-55~+125Cels.)	16Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KA5NFN	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KA5NNW	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	25Vdc	0402inch_1005mm	0.50+/-0.05mm
CL05B103KB5NFN	High_Reliability	10nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	0402inch_1005mm	0.50+/-0.05mm

CL31B224KBFNFN	High_Reliability	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224KBFNNW	High_Reliability	220nF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B224MBFNNW	High_Reliability	220nF	+/-20%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.25+/-0.15mm
CL31B105JAHNNW	High_Reliability	1uF	+/-5%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNFN	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KAHNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105MAHNNW	High_Reliability	1uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNFN	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B105KCHNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KAHNNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KBHNNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B225KCHS3W	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B475KBHNFN	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KPHNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B106KAHNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNFN	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL31B226KPHNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1206inch_3216mm	1.60+/-0.20mm
CL32B105KCJNNW	High_Reliability	1uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KCJSFN	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B225KCJSNW	High_Reliability	2.2uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBJNFN	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KBJNNW	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B475KCVZNW	High_Reliability	4.7uF	+/-10%	X7R(-55~+125Cels.)	100Vdc	1210inch_3225mm	2.50+/-0.30mm
CL32B106KAJNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KAJNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNFN	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B106KBJNNW	High_Reliability	10uF	+/-10%	X7R(-55~+125Cels.)	50Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNFN	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KOJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MOJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	16Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226KAJNNW	High_Reliability	22uF	+/-10%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B226MAJNNW	High_Reliability	22uF	+/-20%	X7R(-55~+125Cels.)	25Vdc	1210inch_3225mm	2.50+/-0.20mm
CL32B476KJPJNNW	High_Reliability	47uF	+/-10%	X7R(-55~+125Cels.)	10Vdc	1210inch_3225mm	2.50+/-0.20mm